

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: Rice, Fraction NE 1/4 NE 1/4 NE 1/4 SW 1/4, Section Number 01, Township No. T 18 S, Range Number R 08 E W. Street/Rural Address of Well Location: 803 Main Street, Geneseo, KS. 2 WATER WELL OWNER: Central Prairie Coop, RR#, Street Address, Box #: Box # 159, City, State, ZIP Code: Sterlina, KS 67579. Global Positioning System (GPS) information: Latitude: 38.51461, Longitude: 98.15641, Elevation: 99.32, Datum: WGS 84, NAD 83, NAD 27, Collection Method: Land Survey, Est. Accuracy: <3 m.

3 LOCATE WELL WITH AN "X" IN SECTION BOX: Diagram showing a 36-acre section with NW, NE, SW, SE quadrants. 4 DEPTH OF COMPLETED WELL 35 ft. Depth(s) Groundwater Encountered (1) 25 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 26.29 ft. below land surface measured on mo/day/yr. 12-10-15. Pump test data: Well water was ft. after hours pumping gpm. EST. YIELD gpm. Well water was ft. after hours pumping gpm. Bore Hole Diameter in. to ft. and in. to ft. WELL WATER TO BE USED AS: Public water supply, Geothermal, Injection well, Domestic, Feedlot, Oil field water supply, Dewatering, Other (Specify below), Irrigation, Industrial, Domestic-lawn & garden, Monitoring well LUST. Was a chemical/bacteriological sample submitted to Department? Yes No. If yes, mo/day/yr sample was submitted. Water well disinfected? Yes No.

5 TYPE OF CASING USED: Steel PVC Other. CASING JOINTS: Glued Clamped Welded Threaded. Casing diameter 2.00 in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 0.27 in., Weight lbs./ft., Wall thickness or gauge No. 40. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify). SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole). Louvered shutter Key punched Wire wrapped Saw cut Other (specify). SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 18 ft. to 35 ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other. Grout Intervals: From 18 ft. to 1 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below). Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well. Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well. Direction from well east Distance from well 5.

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Row 1: 1, 35, Clay, silty, MW6.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 12-4-2014 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 594. This Water Well Record was completed on (mo/day/year) 01-16-2015 under the business name of Caranica Great Plains, Inc. by (signature).

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html