		DTIASA			
	TCV SCD				
WATER WELL RECORD Form WWC-5		Division of Water	Resources App. No.	Range Number	
J LOCATION OF WATER WELL: County: Rice	Fraction NW 1/4 NE 1/4 NE 1/4 SW 1/4	01	T 18 S	R 08 ☐E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction		Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here \square .		Latitude:38,51433 (in decimal degrees)			
803 Main Street		Longitude: 98.15695 (in decimal degrees) Elevation: 99.93			
Geneseo, KS		Datum: ☐ WGS 84, ☐ NAD 83, ☑ NAD 27			
2 WATER WELL OWNER: Central Prairie Coop		Collection Method:			
RR#, Street Address, Box #: Box # 159		☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey			
City, State, ZIP Code : Sterlin	Est. Accuracy:				
3 LOCATE WELL					
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 35					
SECTION BOX: Depth(s) Grou	Depth(s) Groundwater Encountered (1).25 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL. 24.90 ft. below land surface measured on mo/day/yr. Pump test data: Well water was 25.60 ft. after hours pumping gpm				
Pum	Pump test data: Well water was 25.60 ft. after hours pumping				
EST. YIELDgpm. Well water wastt. after hours pumping					
w E Bore Hole Diameterin. toft., andin. toft.					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
SW SE Dolliestic	SW -SE				
Was a chemical/bacteriological sample submitted to Department? Yes V No					
S If yes, mo/day/yr sample was submitted					
1 mile Water well disinfected? ☐ Yes ☐ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 2.00 in. to					
Casing height above land surface 0.27 in., Weight					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
☑ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
GRAVEL PACK INTERVALS: From					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other					
Grout Intervals: From .18					
What is the hearest source of possible containmation. ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)					
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☑ Fuel storage ☐ Abandoned water well					
	pit Feedyard Fertilizer s			••••••	
FROM TO LITHOLO				JGGING INTERVALS	
1 35 Clay, silty			(00) 22.7.2.0		
		MW2			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .12-1-2014 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on anoday/year) 21-16-2015					
under the business name of CORANCO GREAT PLAINS TNC. by (signature)					
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WA	TER WELL OWNER and retain one for your	records. Include fee of			
http://www.kdheks.gov/waterwell/index.html					