WATER WELL RECORD		Form WWC-5		Div	Division of Water Resources App. No.				
1 LOCATION OF WATER WELL:		Fraction				Township No.			
County: Rice		NE 1/4 NE 1/4 NE 1/4 SW 1/4			01	T 18 S			
Street/Rural Address of Well Location; if unknown, distance & direction					l Positioning	System (GPS) in	formation:		
from nearest town or intersection: If at owner's address, check here .				Latitu	Latitude: .38.51418 (in decimal degrees)				
803 Main Street				Longi	Longitude: 98.15634 (in decimal degrees) Elevation: 97.75				
Geneseo, KS					Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Central Prairie Coop					Collection Method:				
RR#, Street Address, Box #: Box # 159					GPS unit (Make/Model:)				
City, State, ZIP Code : Sterling, KS 67579				☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey					
				Est. A	ccuracy: 🖊 <	3 m, 🔲 3-5 m, 🔲	5-15 m,		
3 LOCATE WELL	PRILOP CO	AMDIETED WELL	35		A				
WITH AN "X" IN 4 DI SECTION BOX: Dept	N"X" IN 4 DEPTH OF COMPLETED WELL 35					A ('	2) A		
N WEI									
Pump test data: Well water wasft. after hours pumping									
EST VIELD one Well water was					ft. after hours pumping gpm				
W NW NE E Bore	NW NE EST. TIELDgpiii. Well water was					t., andin. toft.			
WELL WATER TO BE USED AS: Dublic water supply Geothermal Direction well									
^ □ Domestic									
Irrigation Industrial Domestic-lawn & garden Monitoring well LUST							JST		
S If yes, mo/day/yr sample was submitted									
1 mile Wate	r well disinfe	cted? Yes 1	No						
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 2.00 in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter ft.									
Casing height above land surface 0.28 in., Weightlbs./ft., Wall thickness or gauge No40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From18 ft. to35 ft., From ft. to							to ft.		
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From .18									
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							(- F ,		
	Seepage pit	☐ Feedyard	Fertilizer		Oil well/ga				
Direction from well .east									
	ITHOLOGI	C LOG	FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	IGGING INTERVALS		
1 35 Clay, silty									
					MW8		/····		
									
			-						
	w. <u>-</u>					****			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .08-10-15 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (pno/day/y-pary/99-17-2015									
under the business name of	oranco Gre	at Plains, Inc.		by (s	signature) . Z	Ind Il	//		
INSTRUCTIONS: Use typewriter o	ball point pen.	PLEASE PRESS FIRMLY	and PRINT	learly. Ple	ease fill in blanks	and check the correct	answers. Send one copy to		
Kansas Department of Healt Telephone 785-296-5524. Send one									
1 relephone /83-290-3324. Send one	CODY 10 WAIEL	WELL OWNER and lets	ini one tot you	i iccoius.	THE THUE TEE OF 1	JOING TO LACH CONSTRUC	neu wen. visit us di		

http://www.kdheks.gov/waterwell/index.html

125