WATE	R WE	LL RECORD	Form W	WC-5	Di	ivision of Wate	r Resources App. No	. L		
		OF WATER WELL:	Fraction			on Number		Range Number		
	ity: Rice		NE ¼ NE ¼ NE			01	T 18 S		✓W	
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:				
	from nearest town or intersection: If at owner's address, check here .					Latitude: .38.51418. (in decimal degrees) Longitude: 98.15675 (in decimal degrees)				
803 Main Street					Eleva	Elevation: 98.22				
Geneseo, KS						Datum: ☐ WGS 84, ☐ NAD 83, ☑ NAD 27				
2 WATER WELL OWNER: Central Prairie Coop					Colle	Collection Method:				
RR#, Street Address, Box #: Box # 159						GPS unit (Make/Model:)				
City, State, ZIP Code : Sterling, KS 67579						☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey Est. Accuracy: ☑ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL										
WIT	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .35									
SECT	TION BO									
	N WELL'S STATIC WATER LEVEL. 20.43ft. below land surface measured on mo/day/yr. 06-18-15									
1	Pump test data: Well water was									
NV	NW NE EST. YIELDgpm. Well water wasft. after									
''	WELL WATER TO BE USED AS: Dublic water supply Geothermal Direction wall									
, ,	WEEL WATER TO BE CSED AS. I Tuble water supply Cootnermal Injection well SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
5v	Irrigation Industrial Domestic-lawn & garden Monitoring well LUST									
Was a chemical/bacteriological sample submitted to Department? Yes No										
S If yes, mo/day/yr sample was submitted										
1 mile Water well disinfected? ☐ Yes ☐ No										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter 2.00 in. to										
Casing height above land surface. 0.46										
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel										
☐ Steel ☐ Stainless Steel										
SCREEN OR PERFORATION OPENINGS ARE:										
✓ Continuous slot										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
	GRAV	EL PACK INTERVALS:	From 18	nt. to Ar to 35		ft From	ا الماد	o	11. ft	
From ft. to										
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other										
Grout In		From . 18 ft. to	1 ft., From	l	ft. to	ft.,	From	ft. to	ft.	
What is the nearest source of possible contamination:										
Septic tank Lateral lines Pit privy Livestock pens Insecticide s							· -	r (specify below)		
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage						☐ Abandoned water well rage ☐ Oil well/gas well				
Direction from well										
FROM	TO	LITHOLOG	IC LOG	FROM	TO		OG (cont.) or PLU			
1	35	Clay, silty								
						MW9				
				 	nre-					
				 						
				†		<u> </u>				
7 CON	TRACT	OR'S OR LANDOWNER	R'S CERTIFICATION	N: This was	ter well v	was 🖊 constr	ucted, Treconstru	cted, or nlug	ged	
under my jurisdiction and was completed on (mo/day/year) .08-10-15 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on mod/day/year/ 26-17-2015.										
under th	e busine	ss name of Coranco Gr	eat Plains, Inc.		by (s	signature)	YN SHO	_	<u></u>	
INSTRUC	CTIONS:	Use typewriter or ball point pen	PLEASE PRESS FIRMLY	and <u>PRINT</u> o	learly. Ple	ease fill in blanks	and check the correct a	nswers. Send one o	opy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html										