USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

	Щ_	\perp	
Τ	R	EW	sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health (Water Well Contractors) Forbes-Bldg. 740

								10	opeka, Kansas 66620	
	County Township name Fraction			Section number			Town number	Range number		
I Location of well:	Rice Victoria NE% of NE					36	T18S R8W		R8W	
5 III. NOI LIEUST OF LYONS, RAISUS						Arr	nold Rose ncordia, Kansas			
Locate with "X" in section below: Sketch map:					,		4 Well depth: 160 ft. Date of completion 3-29 Well diameter 9 in.			
							5 🔲	Cable tool 🛛 Rotary	Driven Dug Bored Reverse rotar	
w								Test well	onditioning Commercia	
	S S						Thre Dia	ing: Materia Styre eaded Welded SS m. _ in. to 60 ft. depth [urface 12 in. Veight 1.5 lbs./ft	
2	Тур	e and color of material			From	То	8 Scr	_ in. to ft. depth		
Top soil					0	3	Ma Typ	nufacturer <u>Jess &</u> e <u>Stypene 200</u> 0	oia. <u>5"</u>	
Brown & red clay					3	25	Slot gauze			
Broken li	mestone				25	27	Gro	ings: vel pack 🔀 Yes 🗌 No	Size range of material 8	
Sandstone					27	32	l 9 Stat	ic water level: ft. below land surface	Date <u>3-29</u> -75	
Dakota clay & sandstone					32	52		nping level below land sur ft. after hrs.		
Dakota clay					52	70	l	ft. after hrs. mated maximum yield		
Dakota cl y y & sandstone streaks					70	_80	_	ter sample submitted: Yes 🛛 No Date		
Sandstone & Dakota clay streaks					80	128	12 Well head completion: ☐ Pitless adapter			
Very hard sandstone					128	129				
Sandstone	e & Dakota cla	y streaks			129	160	Dep	Neat cement Bentoni	<u>O</u> ft.	
							ft.	NONE KNOWN prest source of possible co prection ————————————————————————————————————	Туре	
							We 15 Pum	II disinfected upon comple	tion? ☑ Yes N ☑ Not installed	
								nufacturer's name t	IP Volts	
								gth of drop pipe f		
								Submersible [Turbine Reciprocating	
1/ 0 1		e a second sheet if needed)						Certrifugal [Other	
16 Remarks: elevation						17 Water well contractor's certification: This well was drilled under my jurisdiction and this				
Topography:							Clar	ort is true to the best of more than the second of the sec	Tnc. 185	
Slope Upland Valley								ned Authorized represe	Clarke 3-2	