## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

						ter well Contractors) eka, Kansas 66620	
1. Location of well:	County	Fraction	Section	number	Township number	Range number	
	Rice	1/4 C 1/4 n E 1/	4 /	7	T 18 s	R 9 E/	
2. Distance and dire	ection from nearest town or city:	3.			ny Schroede.		-
Street address of wel	l location if in city:	th of Bushton, Ks. R.	R. or street:	`ura	i Bushton . F	1. 191179	
4. Locate with "X"	in section below:	Sketch map:	ily, sidle, zip c	Socie: 4	6. Bore hole dia. 29 in	S 6/72/	$\dashv$
h		skeren map.			Well depth 179 ft.	6-15-77	_
	1			ĺ	7 Cable tool X Rotary		$\neg$
NW	[ <b>)</b> ¥				Hollow rod Jetted	Bored Reverse rot	tary
w H	F				8. Use: Domestic P		
÷ "						ir conditioning Stock	
sw	SE				9. Casing: Material 5/4		$\neg$
	<u> </u>				Threaded Welded		in.
	S Aile ————————————————————————————————————				RMP PVC Dia. 16 in. to 179 ft. de		
5. Type and color o			From	То	Dia in. to ft. de		
	-				10. Screen: Manufacturer's	Docces	
100.	50//		Ö	3	Type Steel	Dig. 16"	-
1/00/01/01			7	47.5	Slot/gavee_3/110	Length 80	_
Hara vay			-	2	Set betweenft.	_ft. and	_ft.
Soft sandy clay			22	61	Gravel pack? Size re		18
Good Clean Sandrock			61	170	11. Static water level:ft. below land su	mo./day/	/yr.
Sandrock & Little shale			170	176	12. Pumping level below lar	d surfaces:	_
Good clean Sand rock			176	181	108 ft. after		
1/00	d 560 10		101	192	Estimated maximum yield —		
	1 JAUTE		181	110	13. Water sample submitted: YesNo	Date 3-5-77	/yr.
_ Sha	1c Frock		192	220	14. Well head completion:		
	•				Pitless adapter	Inches above grade	3
					15. Well grouted?	Pontonito Concr	
				<u> </u>			eie
					16. Nearest source of possib	le contamination:	-11
					l		No No
				-	17. Pump:		40
					Manufacturer's name	J.L. R	
				1	Type:		.m.
					Submersible	Turbine	
	(Use a seco	and sheet if needed)			Jet Centrifugal	Reciprocatin	1g
18. Elevation:	19. Remarks:			•	<del>                                     </del>		
	Bushtonisa	small town & doe	snot		This well was drilled under	my jurisdiction and this repo	ort
Topography: have RR numbers.					10	/	/
Hill	1				17. Pump:  Manufacturer's name  Model number 670 CH HP 60 Volts  Length of drop pipe 16005 ft. capacity 650 g.p. 1  Type:  Submersible  Jet  Reciprocating		NI.

Slope

**∠** Upland Vαlley Authorized representative Dat 629