						111.11#1				
WATE	R WEI	LL RECORD	Form WWC-5			Division of Water Resources App. No.				
1 LOCATION OF WATER WELL: County: McPherson			Fraction	1/ <b>CT</b> 1/		ion Number 21	Township No. T 19 S	Range Number R 1 □E KW		
Street/Rural Address of Well Location; i			f unknown, distance & direction		·	Global Positioning System (GPS) information:				
				vner's address, check here 🔼.		Latitude: (in decimal degrees)				
							Longitude: (in decimal degrees) Elevation:			
A WATER WELL OWNER						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: Canton-Galva High School RR#, Street Address, Box #: 506 S. Kansas						Collection Method:  GPS unit (Make/Model:)				
City, State, ZIP Code : Canton, KS 67428						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
3 LOCATE WELL						Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL									
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)									
	WELL'S STATIC WATER LEVEL30ft. below land surface measured on mo/day/yr9/.8/.11  Pump test data: Well water wasft. after									
N	EST. YIELD. 20-30gpm. Well water was									
w	W         E   Bore Hole Diameter 9									
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
5	☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes mo/day/yr sample was submitted										
S If yes, mo/day/yr sample was submitted										
5 TYPE OF CASING USED: Steel X PVC Other										
CASING JOINTS:  Glued  Clamped  Threaded										
Casing diameter 0. 5. in. to 44. ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12. in., Weight lbs./ft., Wall thickness or gauge No										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Other (Specify)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to 84 ft., From ft. to ft.										
	CDAM	EL PACK INTERVALS:						to ft.		
	UKAV									
From										
Grout Intervals: From										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							ner (specify below)			
Sewer lines Cesspool Watertight sewer lines Seepage pi			Sewage lagoon	ge storage						
	ction from	n well		. Distance		ell				
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	JGGING INTERVALS		
2	2 16	Topsoil Clay, gray								
16	46	Clay, tan								
46	52	Sand, fine								
52 61	61 80	Clay, gray Sand, fine w/clay	, larong	-						
80	85	Shale, green	Inyers							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) 9/8/11 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No										
under the business name of Peterson Irrigation, Inc. by (signature)										
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.										
Telephone	785-296-	5524. Send one copy to WAT								
http://www.kdhcks.gov/waterwell/index.html.  KSA 82a-1212										