WATE	p wfi	L RECORD	Form WV	VC-5	Division of Wat	er Resources App. N	47,846	
1 100	ATION	OF WATER WELL:	Fraction	· · · · · · · · · · · · · · · · · · ·	Section Number		Range Number	
Coun	tv: M-D	herson	Fraction NE NE	1/4 NE 1/4		T 19 S		
Stree	t/Pural A	ddress of Well Location;						
				Global Positioning System (GPS) information: Latitude:				
	from nearest town or intersection: If at owner's address, check here .				Longitude: (in decimal degrees)			
1 mile South & 1 mile west of Canton, KS					Elevation:			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Arlen Becker					Collection Method:	., 🚨, 💆		
RR#, Street Address, Box #: 1293 26th Ave.				GPS unit (Make/Model:)				
City, State, ZIP Code : Canton, KS 67428				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
A LOCATE WILL					Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
1	TION BO							
SECI	N							
ļ ,— <u>—</u>								
'								
EST. YIELD.400-450m. Well water wasft. after								
W _	W E Bore Hole Diameter							
Demostic Describe Difficial water graphy Deviatoring Dethor (Specific below)								
SW - SE - Domestic Feedlot On field water supply Dewatering Other (Specify below) Monitoring well Monitoring								
Was a chemical/bacteriological sample submitted to Department? Yes No							•••••	
S If yes, mo/day/yr sample was submitted								
	Water well disinfected? \(\mathbb{X} \) Yes \(\square\) No							
water went distincted: 🔼 Tes 🗀 No								
5 TYPE OF CASING USED: Steel X PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface24								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Saw cut Other (specify)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From22 ft. to98 ft., From ft. to							to ft.	
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Comment grout Bentonite Other								
Grout Intervals: From $$ ft. to $$ ft.								
What is the nearest source of possible contamination:								
	Septic tar			Livestock p			ner (specify below)	
☐ Sewer lines ☐ Cesspool ★★ Sewage lagoon ☐ Fuel storag ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer st						d water well		
		nt sewer lines		Fertilizer st				
	1	n wellSoutheast LITHOLOG		FROM			JGGING INTERVALS	
FROM 0	TO 3	Topsoil	IIC LUU	FKOM	10 LITHU, L	oo (com.) or PLC	JOURNO INTERVALS	
3	30							
	50	Clay, brown	~~				· · · · · · · · · · · · · · · · · · ·	
30	52	Sand w/clay layer Cemented sand	.a					
50			ma of fine seri					
52	78	Clay w/small layer		. 1			· · · · · · · · · · · · · · · · · · ·	
78	97	Sand, fine to med	Train Manatt CTS	, rayers				
97	98	Shale, gray						
T CONTRACTORS OF LANDOWNERS CERTIFICATION. This was all to the second of								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛣 constructed, 🗆 reconstructed, or 🗀 plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mg/day/year)								
under the business name of								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								