WATER WELL R		Form W			ision of Wate		Well ID	
	Original Record Correction Change in Well Use  LOCATION OF WATER WELL: Fraction			Resources App. No. Well ID  Section Number   Township Number   Range Number				
County: Mcpherson Swysey				Sea 33 T 19 S R / DE EN				
2 WELL OWNER: Last Name: Street or Rural Address where well is located (if unknown, distance as								
Business: Kochn Tyler direction from nearest town or intersection): If at owner's address, check here								
2 WELL OWNER: Last Name:  Business: Address: Add								
City: Canton State: KQ ZIP:								
3 LOCATE WELL	1/5							
WITH "X" IN	Depth(s) Gre	ondwater End	countered: 1)7.2	7 ft	ft. 5 Latitude:			
SECTION BOX:			ft., or 4)		Datum	: □ WGS 84 □ NA	D 83 NAD 27	
	WELL'S STATIC WATER LEVEL:					for Latitude/Longitude		
	below is	easured on (mo-day-	/T)	Jay □GI		)		
NW NE	Dabove land surface, measured on (mo-day-yr)  Pump test data: Well water was							
W E	Pump test data: Well water was							
"	Well water was ft.							
sw se	after hours pumping						t □ Ground Level □ TOC	
	Estimated Yield:				Source:			
mile	in. to							
7 WELL WATER TO BE USED AS:								
1. Domestic:		Supply: well ID						
Household			how many wells?					
☐ Lawn & Garden☐ Livestock			arge: well ID well ID		☐ Cased ☐ Uncased ☐ Geotechnical  12. Geothermal: how many bores?			
2. Irrigation			Remediation: well ID		. a) Closed Loop  Horizontal  Vertical			
3. ☐ Feedlot		Air Sparge	☐ Soil Vapor E		b) Open Loop   Surface Discharge   Inj. of Water			
4. 🗌 Industrial								
Was a chemical/bacteriological sample submitted to KDHE?   Yes No If yes, date sample was submitted:								
Water well disinfected?	WYes ∐	NO 577 0VC		CASE	IC IONTS	Chied Clemes	d D Wolded D Threeded	
Cosing disperser 2 in to 2 ft Diameter 2 in to ft Diameter in to ft								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in to ft., Diameter in to ft. Casing height above land surface in. Weight DPJ Ibs/ft. Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ FVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATI	SCREEN-PERFORATED INTERVALS: From 5.3. ft. to 7.5. ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 2.3. ft. to 7.5. ft., From ft. to ft.							
GRAVEL PAG	CK INTERVA	ALS: From .	2.3 ft. to	ft., From .	ft. to	ft., From	ft. to ft.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.								
			., From	rt. to	n., From	It. to	п.	
Nearest source of possible contamination:   Septic Tank								
Sewer Lines	☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify)  Direction from well?  Distance from well? 200 ± ft.								
10 FROM TO	L	THOLOGIC	C LOG	FROM	TO	LITHO. LOG (cont.) o	or PLUGGING INTERVALS	
0 25	Clay							
25 45	Sandy	Clay						
45 60	Fine S		117 ===	<u> </u>				
100 73	med >	andr	Waster	ļ				
				<u> </u>				
				Notes:	LL			
				<u> </u>				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Zeonstructed, _ reconstructed, or _ plugged								
under my jurisdiction and was completed on (mo-day-year) 3.3.4								
under the business name	<i>م.⊱ــــا</i> 10 ≎	20.6. 1. 1. 1. 1.						
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Burgau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Toncka, Kansas 66612-1367. Telephone (785) 296-3565.								

KSA 82a-1212

Visit us at http://www.kdheks.gov/waterwell/index.html

Revised 9/10/2012