

1 LOCATION OF WATER WELL: County: <u>Rice</u>	Fraction <u>SE 1/4 NE 1/4 SE 1/4</u>	Section Number <u>24</u>	Township Number <u>T 19 S</u>	Range Number <u>R 10</u> <input checked="" type="checkbox"/> <u>W</u>
--	---	-----------------------------	----------------------------------	--

Distance and direction from nearest town or city street address of well if located within city?

Approximately 1 mile west and 2 1/4 miles north of Chase

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :	Cal-Maine Foods, Inc. Box 347 Buhler, KS 67522	Board of Agriculture, Division of Water Resources Application Number: <u>41,431</u>
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>43</u> ft. ELEVATION: <u>unknown</u>
--	--

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 16 ft. below land surface measured on mo/day/yr

Pump test data: Well water was not ch'd ft. after hours pumping gpm

Est. Yield unknown gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 18 in. to 42 ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 <u>Industrial</u>	7 Lawn and garden only
		10 Monitoring well
		9 Dewatering
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes.....No ; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS:	Glued <input checked="" type="checkbox"/> Clamped Welded Threaded
------------------------------	---	--	----------------	---

Blank casing diameter 8 5/8 in. to 35 ft. Dia. in. to ft. Dia. in. to ft.

Casing height above land surface 24 in., weight 5.54 lbs./ft. Wall thickness or gauge No. .322

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 <u>PVC</u> 8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)	SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)
---	-------------------------------------	--	-------------------------------------	--

SCREEN-PERFORATED INTERVALS: From 35 ft. to 41 ft. From ft. to ft.

GRAVEL PACK INTERVALS: From 30 ft. to 42 ft. From ft. to ft.

6 GROUT MATERIAL:	1 <u>Neat cement compacted clay</u> 2 <u>Cement grout</u> 3 Bentonite	4 Other <u>Bentonite Holeplug</u>	Grout Intervals: From <u>0</u> ft. to <u>5</u> ft., From <u>5</u> ft. to <u>27</u> ft., From <u>27</u> ft. to <u>30</u> ft.
-------------------	---	-----------------------------------	---

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	None known

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Topsoil			
1	18	Clay, brown			
18	28	Clay, gray			
28	30	Clay with sand			
30	35	Sandstone, very soft			
35	41	Sand and gravel, very fine, fine, some medium			
41	42	Clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>11-12-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>185</u> . This Water Well Record was completed on (mo/day/yr) <u>11-19-96</u> under the business name of <u>Clarke Well & Equipment, Inc.</u> by (signature) <i>Clarke Well & Equipment</i>
--