

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Rice	SE 1/4 NE 1/4 SW 1/4	8	T 19 S	R 10 E/W

Distance and direction from nearest town or city street address of well if located within city?
 Approximately 4 1/2 miles north and 1/2 mile east of Silica

2 WATER WELL OWNER: Carl Ringwald
 RR#, St. Address, Box #: 405 Pembroke Ln.
 City, State, ZIP Code: Ellinwood, KS 67526
 Board of Agriculture, Division of Water Resources
 Application Number: 42,903

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 67 ft.	ELEVATION: unknown	
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.	WELL'S STATIC WATER LEVEL 5. ft. below land surface measured on mo/day/yr 3-27-98	
	Pump test data: Well water was not ch'd ft. after hours pumping gpm		
	Est. Yield unknown gpm: Well water was ft. after hours pumping gpm		
	Bore Hole Diameter 24. in. to 60. ft., and in. to ft.		
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well		
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)		

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
2 PVC	4 ABS	7 Fiberglass		Welded
				Threaded

Blank casing diameter 12. in. to 45. ft., Dia. in. to ft., Dia. in. to ft.

Casing height above land surface 24. in., weight 16.15. lbs./ft. Wall thickness or gauge No. 500

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 <u>Stainless steel</u>	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 45. ft. to 60. ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 20. ft. to 60. ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0. ft. to 20. ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	None known

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Topsoil			
2	25	Clay, gray			
25	39	Clay, brown			
39	55	Sand and gravel, fine, medium			
55	60	Sand and gravel, fine, medium, coarse			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-27-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 4-6-98 under the business name of Clarke Well & Equipment, Inc. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.