	11859 WFI	Stock L RECORD	Form W	WC-5	Div	vision of Water	r Resources App. No		
		OF WATER WELL:	Fraction			on Number		Range Number	
	ty:		1/4 SE 1/4 SW	1 1/4 SE 1/4		31		R 10 □E ☑W	
Straa	ty: t/Durol A				Globa	Positioning	System (GPS) info	rmation:	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Latitu	Latitude: 38.34862 (in decimal degrees)			
Approximately 6 miles east of Ellinwood.					Longi	I construde: -98.46/086 (in decimal degrees)			
Approximately of miles east of Ellinwood.						Elevation: unknown			
						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Kenny Sieker					Collec	Collection Method:			
RR#, Street Address, Box #: 211 E. 1st						GPS unit (Make/Model: WAAS			
City, State, ZIP Code : Ellinwood, KS 67526						Digital Map/Photo, Topographic Map, Land Survey			
						Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 82 ft.									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 02 ft. SECTION BOX: Depth(s) Groundwater Encountered (1) ft (2) ft (3)									
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 31 ft. below land surface measured on mo/day/yr 08/09/12									
Pump test data: Well water was Not checked ft. after hours pumping gpm									
Pump test data: Well water was ft. after hours pumping gpm									
NWNE EST. YIELD gpm. Well water was \tau_ nours pumping gpm									
W Bore Hole Diameter 9 in. to 81 ft., and in. to ft.									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Irrigation Industrial Domestic-lawn & garden Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected?									
5 TYPE OF CASING USED: Steel PVC Other									
CASDIC JOINTS. M. Clund D. Clamped D. Walded D. Threaded									
Casing diameter 5 in. to 50 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No213									
Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No213									
TYPE C	OF SCRE	EN OR PERFORATION	MATERIAL:		_				
	Steel	☐ Stainless Steel	⋈ PVC		Other (S	Specify)	. 		
	Brass	Galvanized Steel	None used (open he	ole)					
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 50 ft., From ft. to ft.									
CODEE	Louvered	I shutter \(\sum \text{Key punched} \)	Wire wrapped L	J Saw cut	ᄱᄱᄳ	er (specify)	Α.	 to #	
SCREE	N-PERF	OKATED INTERVALS	From F			ft From	ا ۱۱۰ ۱۱۰ م 4 م	.0	
İ	CD A V	EL PACK INTERVALS	From 25	n. 10	80	ft From	ו.ו ב ר ה	to f	
	GRAV	EL PACK INTERVALS	Erom	11.10 Pt to		ft From	n. 1	to ft	
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other Grout Intervals: From 4 ft. to 25 ft., From ft. to ft., From ft. to ft.									
		s: From 4 ft. t	0 25 II., FIOIII	' 	11. 10	It.,			
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Septic tank Lateral lines Pit privy Livestock pens Sewer lines Cesspool Sewage lagoon Fuel storage							water well	, -	
l H		ht sewer lines Seepage		Fertilizer s		Oil well/ga		None Known	
Direc	ction from		p.c	Distance	•	_			
FROM	ТО	LITHOLO	GIC LOG	FROM	ТО		OG (cont.) or PLU	GGING INTERVALS	
0	3	Topsoil		55	61	Clay, gray			
3	9	Clay, brown, soft, sa	ndv	61	65		to coarse, clay	gray	
9	11	Clay, gray		65	67		ow, brown	-	
11	17	Clay, tan, yellow		67	81	Sandston			
17	30	Clay, tan, sandy							
30	40	Clay, gray, orange		 	-				
40	44	Clay, gray, orange Clay, gray, sandy		 					
44	45	7.0 7.							
	53								
45		Clay, gray, orange, s		 					
53 55 Sand, gravel, fine to medium									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged and this record is true to the best of my knowledge and belief.									
ander my jurisdiction and was compressed on (ms. 242) cm/ = = = = = = =									
Kansas water well Contractor's License No This water well keeped was completed the (1160/643/1964)									
INSTRUCTIONS. Use typewriter or hall point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three conies									
I (white hi	lue nink) t	o Kansas Denartment of Healt	th and Environment, Bureau	of Water, Ge	ology Sect	10n. 1000 SW J	ackson St., Suite 420.	10Deka, Kansas 66612-136/.	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									