		WATE	R WELL RECORD	Form WWC-5	KSA 82a-	1212		
1 LOCATION OF WA	rer well:	Fraction			ion Number	Township Number		Range Number
County: Rice	159	SW 1/4	4 NE 1/4	SW 1/4	3	1 10'		1ŎW _{E∕W}
			address of well if located		****			
1층 w. 5층 S	of Bushton	. Kansas						
			Big Springs			Roelfs #1	•	
RR#, St. Address, Bo		1	Box 8287, M	unger Sta	ation	••		of Water Resources
			27 Wichita, Ka					
3 LOCATE MELLICI		11 NS 0/42	COMPLETED WELL	11.0	# FIF144	TION: IInknown	JUI. 22 0	
AN "X" IN SECTIO	N BOX:							
_	7		dwater Encountered 1.					
		1	WATER LEVEL					1
NW	NE		np test data: Well water					
			60 gpm: Well water					
i i i		1	neter8in. to.					
ž "	! '	WELL WATER				8 Air conditioning		
xxx	SE	1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12 Other	(Specify below)
	7 3	2 Irrigation				0 Observation well		
		Was a chemical	/bacteriological sample s	ubmitted to De	epartment? Ye	s;	If yes, mo/da	ay/yr sample was sub-
1	5	mitted				ter Well Disinfected? Y		
5 TYPE OF BLANK						CASING JOINTS;	Glued	Clamped
1 Steel	3 RMP (S		6 Asbestos-Cement	9 Other (specify below	v)	Welded	
2 PVC	4 ABS		7 Fiberglass				Threaded	
		.in. to 120	ft., Dia					
			2 in., weight					
TYPE OF SCREEN C			-	7 PV		10 Asbestos		
1 Steel	3 Stainles		5 Fiberglass	- 8 RM	P (SR)	11 Other (sr	ecify)	
2 Brass			6 Concrete tile			12 None use		T. C.
SCREEN OR PERFO								None (open hole)
1 Continuous sl		Mill slot		wrapped		9 Drilled holes		,,,
2 Louvered shu		Key punched	7 Torch	• •		10 Other (specify)		
SCREEN-PERFORAT			120 ft. to		ft From			
JOHLEN-FERFORAT	LD INTERVALS.							•
					ff Ero	m	πιο	
GRAVEL D	CK INTERVALS					m		
GRAVEL PA	ACK INTERVALS	From		.140	ft., Fro	m	. ft. to	
		From		140	ft., From	m	. ft. to ft. to	ft.
6 GROUT MATERIA	L: 1 Neat	From From cement	10 ft. to ft. to	3 Bento	ft., From ft., From nite 4	m	ft. to ft. to	ft
6 GROUT MATERIA Grout Intervals: Fro	L: 1 Neat	From cement 10		3 Bento	ft., From tt., F	m	ft. to ft. to	ft. ft
6 GROUT MATERIA Grout Intervals: Fro What is the nearest s	L: 1 Neat	From cement	10 ft. to ft. to ft. to ft. ft. to ft. ft. to	3 Bento	ft., From tt., F	m Othertt., Fromtock pens	ft. to ft. to ft. 14 Abando	
6 GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank	L: 1 Neat om ()	From cement ft. to 10 e contamination: eral lines	2 Cement grout ft., From 7 Pit privy	3 Bento ft.	ft., From tt., F	m Othertt., Fromtock pens	ft. to	toft. pned water well /Gas well
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat om() ource of possible 4 Late 5 Cess	From cement ft. to 10 e contamination: eral lines es pool	10 ft. to ft. to ft. to ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bento ft.	tt., Fron ft., F	m	ft. to	toft. grad water well //Gas well specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se	L: 1 Neat om	From cement ft. to 10 e contamination: eral lines es pool epage pit	10 ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy	3 Bento ft.	nite 4 to	m	ft. to	toft. grad water well //Gas well specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well?	L: 1 Neat om() ource of possible 4 Late 5 Cess	From cement ft. to 10	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	L: 1 Neat om	From cement ft. to 10 e contamination: eral lines es pool epage pit	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750	L: 1 Neat om	From Cement ft. to 10. e contamination: eral lines es pool epage pit LITHOLOGIO	2 Cement grout 7 Pit privy 8 Sewage lage	3 Bento ft.	nite 4 to	m Other	ft. to ft. to	toft. oned water well //Gas well_ specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750 75 1402	L: 1 Neat om	From Cement ft. to 10 e contamination: eral lines es pool epage pit LITHOLOGIC	10 ft. to ft. to ft. to ft. to ft. to ft. ft. to ft., From ft., From ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG	3 Bento ft.	nite 4 to	on the control of the	ft. toft. to ft.	to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750 75 1402	L: 1 Neat om	From Cement ft. to 10 e contamination: eral lines es pool epage pit LITHOLOGIC	10 ft. to ft. to ft. to ft. to ft. to ft. ft. to ft., From ft., From ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG	3 Bento ft.	nite 4 to	on the control of the	ft. toft. to ft.	to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750 75 1402	D: 1 Neat Dm	From cement ft. to 10 e contamination: eral lines es pool epage pit LITHOLOGIC ER'S CERTIFICA	10 ft. to ft. to ft. to ft. to ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bento ft.	nite 4 to	onstructed, or (3) plugg	ft. to	to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750 75 14022	DELINDOWNE OR LANDOWNE y/year) . 2/7/8 r's License No.	From Cement ft. to10. e contamination: eral lines es pool epage pit LITHOLOGIC ER'S CERTIFICA 35	10 ft. to ft. to Comment grout ft., From Pit privy Sewage lago Feedyard LOG TION: This water well w This Water W	3 Bento ft.	nite 4 to	onstructed, or (3) plugg ord is true to the best of on (mayday/yr)	ft. to ft. to ft.	to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 7500 75 14022	DELINDOWNE OR LANDOWNE y/year) . 2/7/8 are of Kellv	From cement ft. to10 e contamination: eral lines es pool epage pit LITHOLOGIC ER'S CERTIFICA 186 rs Water We.	TION: This water well w This Water	3 Bento ft. FROM FROM as (1) constru	nite 4 to	onstructed, or (3) plugg ord is true to the best of on (mt/day/yr)	ed under my my knowled	to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 7500 75 14022	DELINDOWNE OR LANDOWNE y/year) . 2/7/8 r's License No. ame of Kelly e typewriter or bal	From Cement ft. to . 10. e contamination: eral lines is pool page pit LITHOLOGIC ER'S CERTIFICA 186 TS Water We. Ill point pen, PLEA	TION: This water well w This Water W 10ft. to 12. Cement grout 7. Pit privy 8. Sewage lago 9. Feedyard CLOG	3 Bento ft. 3 Bento ft. FROM FROM as (1) constru Vell Record was d PRINT clear	nite 4 to	on tock pens storage sizer storage sticide storage my feet? 60 LITH	ed under my my knowled	to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 750 75 14022	Description of the state of the	From Cement ft. to10 e contamination: eral lines es pool epage pit LITHOLOGIC ER'S CERTIFICA 186 rs Water We. Health and Enviror	TION: This water well w This Water	3 Bento ft. 3 Bento ft. FROM FROM as (1) constru Vell Record was d PRINT clear	nite 4 to	on tock pens storage sizer storage sticide storage my feet? 60 LITH	ed under my my knowled	tot. tot. tot. y jurisdiction and was lige and belief Kansas 3/29/85 ect answers. Send top I one to WATER WELL