WATER	WELL F	ECORD		WWC-5		ivision of Wate				
] Correction		e in Well Use		sources App. N		Well ID		
		ATER WEL	L:	Fraction	I -	ection Number			nge Number	
	: Barton			1/4 SE 1/4 NW 1/		13	T 19		1 □ E ■ W	
2 WELL	OWNER: I	ast Name:		First:	Street or R	ural Address	where well is locate	ner's address	check here:	
Address: 4240 Turkey Croek Dr						direction from nearest town or intersection): If at owner's address, check here:				
Address:	1219 Tuli	Key Cleek D			2 3/4 North, 4 1/4 East of Ellinwood					
City:	McPhers	on	State: KS	ZIP: 67460						
3 LOCATI		4 DEPTH	OF COM	APLETED WELL:	60	ft. 5 Latitude: 38.40249 (decimal degrees)				
WITH "				Encountered: 1)	ft. Longitude: 98.49655 (decimal degrees)					
	SECTION BOX: 2)					☐ Dry Well Horizontal Datum: ☐ WGS 84 ■ NAD 83 ☐ NAD 27				
l 		WELL'S S	WELL'S STATIC WATER LEVEL:14				e for Latitude/Longitu			
NW		Delow :	above land surface, measured on (mo-day-yr)				GPS (unit make/model (WAAS enabled?			
NW	NE		Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map			
w E aft			after hours pumping gpm				Online Mapper:			
SW SE after			Well water was ft.							
		after hours pumping gpm Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC				
	S	Bore Hole	Bore Hole Diameter: 10 in. to 60 ft. and			Source	Source: ☐ Land Survey ■ GPS ☐ Topographic Map			
1 r	-	20101010	in. to ft.				Other			
7 WELL WATER TO BE USED AS:										
1. Domestic				ater Supply: well ID			il Field Water Supply			
				Dewatering: how many wells?			11. Test Hole: well ID			
							12. Geothermal: how many bores?			
, —	☐ Livestock 8. ☐ Monitoring: well ID									
3. Feedlo			Air Sparg		r Extraction		pen Loop Surface			
4. 🔲 Industr			Recovery	_ •			13. Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:										
Water well disinfected? ■ Yes □ No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped ■ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From 60 ft. to 20 ft., From ft. to ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.										
Grout Intervals: From										
Nearest source of possible contamination:										
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage										
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feetdyard □ Fertilizer Storage □ Oil Well/Gas Well										
Other (Specify) Nane										
Direction from well?										
10 FROM	TO		LITHOLO	OGIC LOG	FROM	ТО	LITHO. LOG (cont	.) or PLUGGI	NG INTERVALS	
0	3	Top soil		1:					76.	
3	28	Tan & brow		caliche						
28	60	Small to me	ed gravei	*						
	 									
					Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year)										
Kansas W	ater Well C	ontractor's Li	cense No.	Bemis Ent Inc	water Well	Signature	ompleted on (mo-da	y-year)/.	747.1A	
Mail	l white copy	along with a fee	of \$5.00 for e	ach constructed well to: I	Kansas Departr	ent of Health ar	d Environment, Bureau	of Water, GWT	'S Section,	
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										