


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Barton</u>	<u>NW 1/4 NW 1/4 SW 1/4</u>	<u>28</u>	T <u>19</u> S	R <u>13</u> <u>W</u>

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: <u>Don Powers</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>2536 17th St.</u>	Application Number:
City, State, ZIP Code: <u>Great Bend, Ks 67530</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>13</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL <u>12</u> ft. below land surface measured on mo/day/yr
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm; Well water was ft. after hours pumping gpm
	Bore Hole Diameter <u>2 1/2</u> in. to <u>13</u> ft., and in. to ft.
	WELL WATER TO BE USED AS:
	5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes ☒ No ☐ ; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes ☐ No ☒

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2 PVC</u>	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>2</u> in. to <u>8</u> ft., Dia. in. to ft., Dia. in. to ft.			Threaded ☒
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. <u>40</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	<u>7 PVC</u>	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
11 Other (specify)			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
<u>1</u> Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From <u>8</u> ft. to <u>13</u> ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From <u>7</u> ft. to <u>13</u> ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	<u>2 Cement grout</u>	3 Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>7</u> ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	<u>11</u> Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well? <u>W</u>			How many feet? <u>400'</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>5</u>	<u>Topsoil and fill</u>			
		<u>Solid layer at 5'</u>			
<u>5</u>	<u>6.5</u>	<u>Gasoline odor in gray clay with rust particles</u>			
<u>6.5</u>	<u>7.5</u>	<u>Dark Soil</u>			
<u>7.5</u>	<u>9.0</u>	<u>Very fine gray sand and clay</u>			
<u>9.0</u>	<u>10.0</u>	<u>Very fine clean sand</u>			
<u>10</u>	<u>11</u>	<u>Fine Sand</u>			
<u>11</u>	<u>13</u>	<u>Wet sand with some gravel</u>			
<u>0</u>	<u>7</u>	<u>Cement</u>			
<u>7</u>	<u>13</u>	<u>Sand and Gravel</u>			
<u>0</u>	<u>8</u>	<u>Blank Casing</u>			
<u>8</u>	<u>13</u>	<u>Screen</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, <u>(2)</u> reconstructed, or <u>(3)</u> plugged under my jurisdiction and was completed on (mo/day/year) <u>6-29-89 (Mike Larson)</u> and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. <u>K.P.H.E.</u> This Water Well Record was completed on (mo/day/yr) <u>6-29-89</u>
under the business name of <u>Ron Adams</u> by (signature) <u>Ron Adams</u>