WATER WE	LL RECORD	Form W	WC-5	Division of Wate	r Resources App. N	0.
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number
County: Barton		1/4 SW 1/4 NE			T 19 S	R 13 □E 🗹 W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning						
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)		
1301 Taft, Great Bend, KS				Longitude: (in decimal degrees)		
				Elevation:		
2 WATER WELL OWNER: Michael McIntyr				Collection Method:		
RR#, Street Address, Box #: P O Box 1725				GPS unit (Make/Model:)		
City, State, ZIP Code : Havs, KS 67601				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m						
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 75 ft.						
SECTION BO	NBOX: Depth(s) Groundwater Encountered (1)					
N	WELL'S STATIC WATER LEVEL19ft. below land surface measured on mo/day/yr. 4-2-14					
Pump test data: Well water wasft. after						
EST. YIELD. N/Agpm. Well water was						
W         E   Bore Hole Diameter !Vft., andft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
SW  SE						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
mile  Water well disinfected? ✓ Yes ☐ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .5 in to .75 ft., Diameter in to ft., Diameter in to ft.						
Casing height above land surface18 in., Weight SDR-26lbs./ft., Wall thickness or gauge No						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped    Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
From 40 ft to 20 ff From ft to ft						
6 GROUT MATERIAL: Neat cement ☐ Cement grout ✓ Bentonite ☐ Other						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 45 ft. to 40 ft., From 20 ft. to 0 ft.						
What is the nearest source of possible contamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well House						
Direction fro	11 North			6 404		
FROM TO	LITHOLOG		FROM			JGGING INTERVALS
0 3	Top soil.					
3 14	Brown clay			7-7-7-		
14 33	Sand & gravel- clean,	coarse, loose				
33 48	Tan clay					
48 75	Sand & gravel					
		With the second				
		144844				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year). 4-2-14						
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 4-14-14.						
under the business name of Rosencrantz-Bemis Ent Inc by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						