	512 Disposal VELL RECORD	Form WWC-5	D	oivision of Wate	er Resources App. N	[o. [
1 LOCATI County:	ON OF WATER WELL: Barton	Fraction 1/4 SW 1/4 NE 1/4 SV	Sect	ion Number 28		Range Number
	ral Address of Well Location;			al Positioning	System (GPS) inf	R 13 \square E \square W formation:
from nearest town or intersection: If at owner's address, check here				tude:	38.365581	(in decimal degrees)
				gitude:	-98.767745 Unknown	(in decimal degrees)
2 WATER WELL OWNER: Great Bend Public Library				m: WGS 8	84, 🛛 NAD 83, 🗌	NAD 27
RR#, Street Address, Box #: 1409 Williams Street				GPS unit (Make/Model: WAAS)		
City, State, ZIP Code : Great Bend, KS 67530				Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: < 3 m, 3-5 m, 5-15 m, >15 m		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 133 ft.						
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3)						
not checked a c						
NW. NE. EST. YIELD gpm. Well water was ft. after hours pumping gpm						
W 1 E Bore Hole Diameter ZZ in. to 13Z ft., and in. to ft.						
SW/ SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted						
Water well disinfected? ▼ Yes No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: A Glued Clamped Welded Threaded Other (Specify) Casing diameter 12 in. to 71 ft., Diameter in. to ft., Diameter in. to ft.						
Casing diameter 12 in. to 71 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., Weight 12.71 lbs./ft., Wall thickness or gauge No490						
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Gher (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
GRAVEL PACK INTERVALS: From ft. to 132 ft., From ft. to ft. From ft. to ft. From ft. to ft.						to : ft.
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From 5 ft. to 40 ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None Known						
Direction from well Distance from well						
FROM TO	O LITHOLOG 2 Topsoil	IC LOG FROM 12		Clay, tan,		JGGING INTERVALS
2	6 Clay, brown	12	102	Jidy, tari,	9,43	
	33 Sand & gravel 13 Clay, tan					
L	13 Clay, tan 17 Sand, fine					
47 5	51 Clay, tan					
	57 Sand & gravel, clay st 57 Clay, gray	reaks				
67 12	3,03	coarse				
120 12	29 Sand & gravel, coarse			<u> </u>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo/day/year) 09/17/14 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 09/19/14						
under the business name of Clarke Well & Equipment, Inc. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212	<u> </u>					