


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Barton</u>	<u>SE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$	<u>34</u>	T <u>19</u> S	R <u>14</u> E/W <u>(W)</u>

Distance and direction from nearest town or city street address of well if located within city?

DMW-10

2 WATER WELL OWNER: <u>Fuller Brush</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : <u>Great Bend, Ks</u>	Application Number:
City, State, ZIP Code :	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>50</u> ft. ELEVATION: <u>50</u> ft.
	Depth(s) Groundwater Encountered 1. <u>12</u> ft. 2. <u>12</u> ft. 3. <u>7/95</u> ft.
	WELL'S STATIC WATER LEVEL <u>12</u> ft. below land surface measured on mo/day/yr <u>7/95</u>
	Pump test data: Well water was <u>8</u> ft. after <u>50</u> hours pumping <u>gpm</u>
	Est. Yield <u>gpm</u> : Well water was <u>8</u> ft. after <u>50</u> hours pumping <u>gpm</u>
	Bore Hole Diameter <u>8</u> in. to <u>50</u> ft., and <u>50</u> in. to <u>ft.</u>
WELL WATER TO BE USED AS:	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes <u>X</u> No <u>X</u>	

5 TYPE OF BLANK CASING USED:	3 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped <u>X</u>
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded <u>X</u>
2 PVC	7 Fiberglass		Threaded <u>X</u>
3 RMP (SR)			
4 ABS			
Blank casing diameter <u>2</u> in. to <u>35</u> ft., Dia <u>2</u> in. to <u>69</u> ft., Dia <u>2</u> in. to <u>ft.</u>			
Casing height above land surface <u>2</u> in., weight <u>1.69</u> lbs./ft. Wall thickness or gauge No. <u>ft.</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
3 Asbestos-cement	10 Asbestos-cement	11 Other (specify)	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
35	45	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From <u>35</u> ft. to <u>45</u> ft., From <u>ft.</u> to <u>ft.</u>			
GRAVEL PACK INTERVALS: From <u>31.7</u> ft. to <u>45</u> ft., From <u>ft.</u> to <u>ft.</u>			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>2</u> ft., From <u>2</u> ft. to <u>31.7</u> ft., From <u>ft.</u> to <u>ft.</u>				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>West</u>			How many feet? <u>400</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>28</u>	<u>Sand/Sandy clay</u>			
<u>28</u>	<u>31</u>	<u>Clay</u>			
<u>31</u>	<u>45</u>	<u>Sand</u>			
<u>45</u>	<u>47.5</u>	<u>Clay</u>			
<u>47.5</u>	<u>50</u>	<u>Sand</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8/30/95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>581</u> This Water Well Record was completed on (mo/day/yr) <u>9/8/95</u> under the business name of <u>Layne, Inc.</u> by (signature) <u>Steven R. Mitchell</u>
--