KOLAR Document ID: 1625393

		RECORD Correction		WWC-5 ge in Well Use		vision of Wat			Well ID		
				Fraction		ction Numb	1	Township Numb		ge Number	
1 LOCATION OF WATER WELL: County:								R	$\Box E \Box W$		
	OWNER:	Last Name:		First:		14 T S R E W treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here: Image: Comparison of the sector of the					
Address: Address:											
City:			State:	ZIP:							
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: .											
WITH "						5 Latitude:					
	ON BOX:		Depth(s) Groundwater Encountered: 1) 2)				Longitude:(decimal degrees) Datum: 🗌 WGS 84 🔄 NAD 83 🔄 NAD 27				
	N		WELL'S STATIC WATER LEVEL:				Source for Latitude/Longitude:				
				-yr)	00	GPS (1	unit make/model:				
NW	NE			•yr)		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
w	E	~	Pump test data: Well water was ft. after hours pumping gpi								
			Well v			Online Mapper:					
SW	SE		hour	gpm	6 Elevation:ft. Ground Level TOC						
	S X	Estimated Y Bore Hole I		ft and		Source: Land Survey GPS Topographic Map					
	s mile	Bole Hole I		ft.	bour						
7 WELL WATER TO BE USED AS:											
1. Domestic			ater Supply: well ID								
					11. Test Hole: well ID						
	& Garden					Cased Uncased Geotechnical					
				g: well IDal Remediation: well II			12. Geothermal: how many bores?a) Closed Loop ☐ Horizontal ☐ Vertical				
3. ☐ Feedlot				b) C	b) Open Loop Surface Discharge Inj. of Water						
4. 🗌 Indust	rial	Recovery	Injection		13. 🗌 Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft. o ft. o ft. o ft. o ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.											
Grout Intervals: From											
Nearest sou	irce of possi	ole contaminati	on: No	potential source of con							
			Lateral Line			Livestock P					
Sewer			Cess Pool	Sewage La		Fuel Storage		Abando		Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO	I	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
							-				
						1					
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my j	urisdiction	and was comp	eted on (n	no-day-year) 	and	this record	is tru	to the best of m	y knowled	ge and belief.	
	asiness nal	Send one copy to	WATER W	ELL OWNER and retain	one for your re	cords. Fee of \$	65.00 f	or each <u>constru</u> cted we			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at	http://www.kdl	neks.gov/waterwel	l/index.html						KS	SA 82a-1212	