WATER WELL RECORD	Form WWC-5	5	Division of V	Water Resources; App. No	ı.	
1 LOCATION OF WATER WELL: County: Rush	Fraction SW 1/4 NW 1/4 SV	W 1/.	Section Number 19	er Township Number T 19 S	er Range Number R 16	
Distance and direction from nearest town or city street address of well if			Global Positioning Systems (decimal degrees, min. of 4 digits)			
located within city? 6S 2 E of Timken, KS			Latitude:			
					*.	
2 WATER WELL OWNER: Ken Wiltse			Elevation:			
RK#, St. Address, Box # : Box 82206			Datum:		<u> </u>	
City, State, ZIP Code . Timbon K	S 67575		Data Collecti	on Method:		
3 LOCATE WELL'S   4 DEPTH OF COMPLETED WELL						
LOCATION 245 0 (2)						
WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered (1) 245 ft. (2) ft. (3) ft. (3) ft. (3) ft. (2) ft. (3) ft. (4) ft. (5) ft. (6) ft. (6) ft. (7) ft. (1) ft. (1) ft. (1) ft. (1) ft. (2) ft. (1) ft. (1) ft. (2) ft. (3) ft. (4) ft. (1) ft. (1) ft. (1) ft. (2) ft. (3) ft. (4) ft. (4) ft. (4) ft. (5) ft. (6) ft. (7)						
N Pump test data						
Est. Yield3gpm: Well water wasft. after hours pumpinggpm						
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
W   1   F   1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs						
Sample was submitted						
S						
5 TYPE OF CASING USED: 2 5 Wrought 1	Iron 8 Concre	ete tile	CAS	SING JOINTS: Glued.	X Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-	Cement 9 Other (	(specify	below)	Welder	i	
2 PVC 4 ABS 7 Fiberglass						
Blank casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL: 7						
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE: 8						
1 Continuous slot 3 Mill slot 5. Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
GRAVEL PACK INTERVALS: From 60 ft. to 260 ft., From ft. to ft.						
From						
Troni						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From						
What is the nearest source of possible contamination:  None						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil wll/gas well						
Direction from well?	•		y feet?			
FROM TO LITHOLOGIC	LOG	FROM	I TO	PLUGGING IN	ITERVALS	
0 3 Topsoil						
3 27 Clay 27 80 Shale						
27 80 Shale 80 205 White and Red Clay						
205 210 Sand rock						
210 245 Clay						
245 253 Sand rock					**. * * *	
253 260 Red Clay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year)10-25-05 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No199 This Water Well Recored was completed on (mo/day/year)11-9-05						
Under the business name of Karst Water WEIl Drilling & Serv, bynesignature						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-						
296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.						