WAIL	K WEL	L RECORD	Form W	WC-5	Dı	vision of Wate	er Resources App. N	0.	
1 LOCATION OF WATER WELL:			Fraction			on Number		Range Number	
County: Rush Street/Rural Address of Well Location;			NE ¼ SE ¼ SE			36	T 19 S	R 16 DE VW	
				Global Positioning System (GPS) information: Latitude: .38,32336520					
from nearest town or intersection: If at owner's address, check here .						Longitude: -98.86702780 (in decimal degrees)			
Pawnee Rock Compressor Station						Elevation:			
						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: SemGas, L.P.						Collection Method:			
RR#, Street Address, Box #: 6120 South Yale Ave. Suite 700 City, State, ZIP Code : Tulsa OK 74136					GPS unit (Make/Model: Garmin Nuvi				
City	, State, Z	i Tulsa, (OK 74136			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 25 ft.									
SECTION BOX: Depth(s) Groundwater Encountered (1).20									
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr									
UNW NW NE EST. YIELD									
\		E Bore Hole Diam	TO BE USED AS:	7 Public wat	ii., and . er sunnl		othermal DI	njection well	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well MW-6									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .2 in. to .15 ft., Diameter in. to ft., Diameter ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
What is	the neare	est source of possible cont	mination:		11. 10	F IL.,	, FIOH	11. 10	
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well									
			it Feedyard	Fertilizer s		Oil well/g			
			VICLOC			ell		ICCING DITERVALC	
FROM 0	TO 12	LITHOLOG	IIC LUG	FROM	TO 2		· / = · ·	IGGING INTERVALS	
12	15	Brown clay Brown silty clay			13	cement gr	out		
15	20	Brown slity clay		-	10	DOMESTIC			
20	25	Brown silty clay							
		z.om only oldy							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .05/09/20.12 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 785 This Water Well Record was completed on (mo/day/year) 06/08/2012									
under the business name of . Able Environmental Drilling, LLC. by (signature)									
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at									
http://www.kdheks.gov/waterwell/index.html									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									