| <u> </u>   | WATER WELL RE   | CORD For   | m WWC-5  | KSA 82  | a-1212   |                                      |
|--|---|--|--|---|--|--------------------------------------|
| LOCATION OF WATER WELL:  | Fraction  | ~  |  | ion Number  |  |                                      |
| ounty: Rush  | SE ¼ SE   | 1/4 SE   |  |   | т 19   | s R 16W E/W                          |
| listance and direction from nearest town of  |   | ell if located wi  | thin city?   |   |  |                                      |
| 7 1/2 F 7 1/2 S of Timke   |   |  |  |   |  |                                      |
| WATER WELL OWNER: Carl Imm   | enschun   |  |  |   |  |                                      |
| R#, St. Address, Box # : Route 1   | Tr /mrdo  |  |  |   | •  | ulture, Division of Water Resources  |
| ity, Btate, ZIP Code : Timken,   |   |  |  |   | Application Nu   |                                      |
| LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:   | epth(s) Groundwater Encor   | untered 1.31   |  | . ft  | 2  | . ft. 3 ft                           |
| W  | Pump test data: Pump test data: it. Yield60 gpm: ore Hole Diameter8. ELL WATER TO BE USEI 1 Domestic 3 Fe 2 Irrigation 4 Inc. as a chemical/bacteriologic | Well water waw Well water wawin. to 80. D AS: 5 Fedlot 6 Colustrial 7 Load sample subn | 3.1 ft. beas as rublic water if field water awn and genitted to De | Ilow land su ft. a ft., supply er supply arden only partment? Y | rface measured on mo after ho after ho and 8 Air conditioning 9 Dewatering 10 Observation well 'es   | olday/yr 9/8/83                      |
| TYPE OF BLANK CASING USED:   | 5 Wrough  | t iron   | 8 Concre   |   |  | S: Glued Clamped                     |
| 1 Steel 3 RMP (SR)   |   | s-Cement   | 9 Other (  | specify belo  | w)   | Welded                               |
| 2 PVC 4 ABS  | 7 Fibergla  |  |  |   |  |                                      |
| lank casing diameter 5 in.   | to 60 ft., E  | Dia  | in. to   |   | ft., Dia   | in. to ft.                           |
| asing height above land surface  | 12 in, weight   | 2•8  | 5  | lbs   | /ft. Wall thickness or g   | auge No Sch . 40                     |
| YPE OF SCREEN OR PERFORATION N   | MATERIAL:   |  | 7 PVC  |   | 10 Asbesto   | os-cement                            |
| 1 Steel 3 Stainless st   |   |  | 8 RMI  | (SR)  | 11 Other (s  | specify)                             |
| 2 Brass 4 Galvanized   |   | e tile   | 9 ABS  | 3   |  | sed (open hole)                      |
| CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed  |   |  | vrapped  |   | and the second second second second  | 11 None (open hole)                  |
| 1 Continuous slot 3 Mill slot 6 Wire wr  |   |  | •  |   | 9 Drilled holes  | •                                    |
| 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  |   |  |  |   |  |                                      |
| CREEN-PERFORATED INTERVALS: From   |   |  |  |   |  |                                      |
| From         ft. to         ft., From         ft. to         ft.           GRAVEL PACK INTERVALS:         From         10         ft. to         80         ft., From         ft. to         ft. |   |  |  |   |  |                                      |
|  | From  |  |  |   |  |                                      |
| GROUT MATERIAL: 1 Neat cem   |   |  |  |   |  |                                      |
|  |   | rom  | ft. t  | o   | ft., From  | ft. toft.                            |
| Vhat is the nearest source of possible con   |   |  |  |   | stock pens   | 14 Abandoned water well              |
| 1 Septic tank 4 Lateral li   | *   |  |  |   | -  | 15 Oil well/Gas well                 |
|  |   | Sewage lagoon  |  |   |  |                                      |
| 3 Watertight sewer lines 6 Seepage   | pit 9 F   | eedyard  |  |   | -  | e to be built later                  |
| FROM TO  | LITHOLOGIC LOG  |  | FROM   | TO TO   | any feet?  | HOLOGIC LOG                          |
| 0 60 /Clay   | LITTIOLOGIC LOG   |  | THOW   | 10  | Lef I I  | nocodic cod                          |
| 60 80 Sand Rock  |   |  |  |   |  |                                      |
|  |   |  |  |   |  |                                      |
| 1——————————————————————————————————————  |   |  |  |   |  |                                      |
|  |   |  |  |   |  |                                      |
|  |   |  |  |   | - VANDONIA SALANIA SAL | ·                                    |
|  | 18 1 18 1 18 1 18 1 18 1 18 1 18 1 18   |  |  |   |  | VV-V-                                |
|  | ***************************************   |  |  |   |  |                                      |
| Section Section  | ***************************************   | ***************************************  |  |   | ·····  |                                      |
|  |   |  |  |   |  |                                      |
|  |   |  |  |   |  |                                      |
|  |   |  |  |   | A  |                                      |
|  |   |  |  |   |  |                                      |
|  |   |  |  |   |  |                                      |
|  | <del></del>   |  |  |   |  |                                      |
| CONTRACTOR'S OR LANDOWNER'S  | CERTIFICATION: This w   | ater well was (  | 1) construc  | ted (2) red   | constructed, or (3) plug   | ged under my jurisdiction and was    |
| ompleted on (mo/day/year) . 9/8/83 Vater Well Contractor's License No  | 186 Th  | nis Water Well   | Record was   | and this rec<br>s completed                                     | ord is true to the best of on (mo/day/yr)  | of my knowledge and belief. Kansas   |
| nder the business name of Kellys NSTRUCTIONS: Use typewriter or ball poi   | nt pen, PLEASE PRESS  | FIRMLY and PI  | RINT clearly   | /. Please fill  | in blanks, underline or  | circle the correct answers. Send top |
| hree copies to Kansas Department of Healt DWNER and retain one for your records.   | h and Environment, Divisio  | n of Environme   | nt, Environr   | nental Geold  | ogy Section, Topeka, KS  | 66620. Send one to WATER WELL        |