USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Per

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeko, Kansas 66620

	County Fraction			Section number		Township number	Range number		
1. Location of well:	Rush	mnw/4 se 1/4 ne	3 1/4	33		т 19 s		35 /w	
2. Distance and direc	ction from nearest town or city:	Jei Rus	erry Mendenhall ush Center, Ks.						
Street address of well location if in city: Rush Center, Ks. City, state, zip code:									
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 30 in. Completion date			
<u> </u>						7Cable toolRotaryDrivenDug			
NW NEX-						Hollow rod Jetted Bored Reverse rotary			
₩						8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock			
						Lawn Oil field water Other 9. Casing: Material STI Height: Above The New York Property Company Comp			
						Threoded Welded _X Surface in.			
S 1						PVCWeightlbs./ft. Dio 16 in. to 35 ft. depth Wall Thickness: jnchgs.er			
5. Type and color of				From	To	Dia in. to ft. dep	th gage No	/10	
man Sail Clay				0	35	10. Screen: Manufacturer's r Doerr	: 16'		
Top Soil Clay					55 55	Slot/gauze 1/8**	Dia		
Sand-Gravel-Clay				35	22	Set betweenft. c	_ft. and <u>55</u> and	ft.	
						·	inge of material	/3/4	
						11. Static water level: 34 ft. below land sur		no./day/yr. 10 -77	
						12. Pumping level below land			
						50 ft. after 4	hrs. pumping 200	Qg.p.m.	
						Estimated maximum yield 13. Water sample submitted:	200	g.p.m.	
	bed cold the manner and	Annual American September 1981	ger same	<u></u>	,,,an,	Yes	Date		
	months to survey and Villering survey.	The state of the s			F-1	14. Well head completion:	L2 Inches abo	ve grade	
		manus of the second			- ,	,15; Well grouted? X With: Neat cement	Bentonite X	Concrete	
	Commercial and the Commercial Com	Biographical China Co., Adding at 18 to 1 apr.			7	Depth: From ft. to	111	_ Coucrete	
	17 d	: 'w	! ۱۹		15 50.2	Nearest source of possible ft Direction	e contamination:	none	
at the part of the control of the part of the control of the contr					* 5: •	/ Wall disinfected upon comple	etion?Yes	<u>X</u> No	
					23 ⁶ 5.	17. Pump: Manufacturer's name	Goulds	ed 20	
						Model number 36,1 Length of drop pipe 50	HP <u>10</u> ft. capacity 2	√olts ΩΩ _{0.0.m} .	
		· FAMER · · · ·				Туре:			
						Submersible Jet		procating	
(Use a second sheet if needed)					L	Centrifugal 20. Water well contractor's	Other	er So	
18. Elevation:	19. Remarks:	7111				This well was drilled under m	ny jurisdiction and t		
Topography:						is true to the best of my knowledge and belief. 186 Kelly's Wathrwelk Sorr			
Hill Slope		6				Business name R2 Great	Thought D	KS No.	
Upland						Signed Kelly	Vrice Do	7-17-70	
X Valley						Authorized rep	oresentative	<u>4</u> لــــــــــــــــــــــــــــــــــــ	