

1 LOCATION OF WATER WELL: County: McPherson	Fraction SE 1/4 SE 1/4 SW 1/4	Section Number 15	Township Number T 19 S	Range Number R 2 E/W
---	---	-----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?

Approximately 1/2 mile north and 1/2 mile east of Galva

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	City of Galva P.O. Box 223 Galva, KS 67443	Board of Agriculture, Division of Water Resources Application Number: 10-3-97
---	---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 51 ft. ELEVATION: unknown
--	--

N

NW	NE
SW	SE

S

X

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL **17.25** ft. below land surface measured on mo/day/yr **10-3-97**

Pump test data: Well water was **not ch'd** ft. after hours pumping gpm

Est. Yield **unknown** gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter **5** in. to **60** ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Monitoring well
		12 Other (Specify below)
		Test Well

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 <u>PVC</u>	4 ABS	7 Fiberglass	Welded
Blank casing diameter 2 in. to 29 ft., Dia in. to ft., Dia in. to ft.			Threaded
Casing height above land surface 24 in., weight 44 lbs./ft. Wall thickness or gauge No. 091			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 <u>PVC</u>	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 <u>Mill slot</u>	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 29 ft. to 49 ft., From ft. to ft.		
GRAVEL PACK INTERVALS:	From 25 ft. to 49 ft., From ft. to ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other Bentonite Holeplug
Grout Intervals: From ft. to ft., From 0 ft. to 25 ft., From 49 ft. to 60 ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	None known
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Topsoil			
4	10	Clay, gray			
10	12	Clay, tan			
12	20	Clay, gray and white			
20	22	Clay, brown			
22	37	Sand, medium, very fine			
37	41	Clay, gray, soft			
41	52	Sand, medium, very fine			
52	54	Clay, gray			
54	56	Sand, medium, very fine			
56	60	Clay, tan			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-3-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 . This Water Well Record was completed on (mo/day/yr) 10-21-97 under the business name of Clarke Well & Equipment, Inc. by (signature) <i>[Signature]</i>
