

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL:

County: McPherson

Fraction

Se 1/4 Se 1/4 Se 1/4

Section Number

23

Township Number

T 19 S

Range Number

R 2 E W

Distance and direction from nearest town or city street address of well if located within city?

2 E Galva

Global Positioning Systems (decimal degrees, min. of 4 digits)

Latitude: _____

Longitude: _____

Elevation: _____

Datum: _____

Data Collection Method: _____

2 WATER WELL OWNER:


RR#, St. Address, Box #

City, State, ZIP Code

Central Kansas Cm.2041 HWY 56Galva, KS 67443

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N



S

4 DEPTH OF COMPLETED WELL ft.

Depth(s) Groundwater Encountered (1) 23 ft. (2) ft. (3) ft.WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr. 10-30-06

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield. 20 gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrSample was submitted. Water well disinfected? Yes No

5 TYPE OF CASING USED:

1 Steel

3 RMP (SR)

5 Wrought Iron

8 Concrete tile

CASING JOINTS: Glued Clamped

2 PVC

4 ABS

6 Asbestos-Cement

9 Other (specify below)

Welded

Blank casing diameter

5 in. to

20 ft.

Diameter

in. to

ft.

Diameter

in. to

ft.

Diameter

in. to

ft.

Casing height above land surface in. Weight SDR 26 lbs./ft. Wall thickness or gauge No. 219

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless Steel

5 Fiberglass

7 PVC

9 ABS

11 Other (Specify)

2 Brass

4 Galvanized Steel

6 Concrete tile

8 RM (SR)

10 Asbestos-Cement

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

5 Gauzed wrapped

7 Torch cut

9 Drilled holes

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

8 Saw Cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

13 Insecticide Storage

16 Other (specify

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

14 Abandoned water well

below)

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

12 Fertilizer Storage

15 Oil well/gas well

.....

Direction from well? N How many feet? 100 +

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 21 Clay

21 22 fine Sand

22 32 med Sand