			TER WELL RE	CORD	Form \	WWC-5	KSA 8	2a-1212 ID	No					
	ION OF WA	Fraction	CT-7		3.75.7		Section Number		ownship N			ange Nun 21w		
County:	Ness		SW	4 SW		NW		18	T	19	S	R	ZIW	E/W
		from nearest tow Bazine, KS	•	t address	of well if	located	d within city	?						
		NER: Melfo		3										
		# : P. O.		•						Board of A	griculture, D	ivision o	f Water B	esources.
City. State.	ZIP Code	: Bazin	e. KS 675	516					-	Application	Number:			
LOCATE	WELL'S LC	CATION WITH	4 DEPTH OF	COMPLE	TED W	ELL	395	ft. ELE	VATION: U	nknown				
	N SECTION		Depth(s) Gro	undwater	Encount	ered	19	0	ft. 2		ft. 3			ft.
	N	1	WELL'S STA	TIC WATE	R LEVE	L	90ft. I	below land sur f	face measi	ured on mo	o/day/yr	U97.14	∡.u5	anm
	1							f						
WELL WATER TO BE USED AS: 5 Public water supply										conditioning	-	jection v		
X   1   Domestic 3 Feedlot 6 Oil field water supply 9 Dewaterin 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitorin								•		٠.	ecify belo			
"	!		ga			. ,	2011100110	(iaiiii a gailasi	.,					
SW SE Was a chemical/bacteriological sample submitted to Department? Yes If									; If yes, m	no/day/yı	s sample	was sub-		
								Water Wel				No		
	S													
		CASING USED:			ought iro			ncrete tile		ASING JO	INTS: Glue		•	
1 Steel 3 RMP (SR) 2 PVC 4 ABS					6 Asbestos-Cement 7 Fiberglass			er (specify bel	,					
		5	in to		•	t. Dia	********							
Casing hei	ght above la	and surface	12	in.,	weight.	160	2.8 / 2	3 <b>6'</b> 3.55	lbs./ft. V	Wall thickne	ess or guag	e No.Sc	h. 40	/.327
		R PERFORATIO					7	PVC		10 Asl	bestos-Cem	ent		
1 Stee		3 Stainless 4 Galvaniz			erglass ncrete tile	Δ.		RMP (SR) ABS			ner (Specify ne used (or			
2 Bras		RATION OPENIN		0 001	icrete til		_		0.50	w cut	ne asca (or		ne (open l	hole)
	tinuous slot		lill slot				azed wrappe e wrapped	eu	9 Dri	illed holes				
	vered shutte		ey punched			7 Toro	ch cut		10 Ot	her (specif	y)			ft.
SCREEN-	PERFORAT	ED INTERVALS:	From	355		ft. to	395	ft., Fro	om		ft. to			ft.
,	CDAVEL DA	CK INTERVALS:	From	20		ft. to	205	ft., Fro	om		ft. to		•••••	ft.
`	JINAVEL FA	OK INTERVALS.	From	Z.U		ft. to		ft., Fro	om		ft. to			ft.
cl oper	T MATERIA							N = = 1 = = 21 =	4.045					
Grout Inter	JT MATERIA vals: Fror	Λ	t cement		ement g			<del>Sentonite.</del> ft. to						
		urce of possible			11., 11011	1	••••••		estock pen				ed water v	
1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel storage			15 Oil well/Gas well			
2 Sewer lines 5 Cess pool					8 Sewage lagoo						16 Other (specify below)			
3 Wat	tertight sewe	er lines 6 Seep	age pit		9	Feedya	ırd	13 Ins	secticide st	orage	none	.inpa	sture	
Direction fr		· · · · · · · · · · · · · · · · · · ·							nany feet?					
FROM	то		LITHOLOG	IC LOG			FROM	1 то		PLI	UGGING IN	TERVAL	.S	
0	2	top soil												
<u>2</u> 11	11 17	clay Limestone	(coft)											
17	340	shale	S (SOLC)										-	
340	395	sand roo	ck										· · ·	
														1.4
CONTR	ACTOR'S C	OR LANDOWNE	R'S CERTIFIC	CATION: T	his wate	er well v	was (1) cor	structed, (2) re	econstructe	ed, or (3)	olugged und	der my j	urisdiction	and was
completed of	on (mo/day/y	/ear)09/	16/05					and this	s record is t	rue to the b	est of my ki	nowledge		
		s Licence No						ord was compl	eted on (m	o/day/yr)	.08\T8\;	u5	1 1	
		ne of Kelly							oy (signatur	7,0-	Nugo,	10	ood	
		ewriter or ball point pe of Water, Geology Se												
records. F	ee of \$5.00 for e	each constructed well.												