126 WATE	8487 R WELI		30 C ORD	Form WW	C-5	Division of V	Vater Resources;	App. No.	26,671	
			TER WELL:	Fraction SE 1/4 NE 1	/4 CVV 1/4	Section Numb		Number		
	nty: Ness		rom nearest town or city s	3 T 19 S R 23 E W Global Positioning Systems (decimal degrees, min. of 4 digits)						
withi	n city? Ap	proxim	nately 1 1/4 mile sout	Latitude: 38.426907						
Ness City						Longitude: -99.853408				
2 WATER WELL OWNER: City of Ness City RR#, St. Address, Box # : 208 W. Main						Elevation: Unknown				
City, State, ZIP Code P.O. Box 419 Ness City, KS 67560						Datum: NAD83 Data Collection Method: WAAS GPS Unit				
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 7						Data Conection Method. WAAS GFS Offic				
1	LOCATION									
1	H AN ''X'		Depth(s) Groundwate	er Encountered (.	II. (2) II. (3) II,					
SEC	WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) WELL'S STATIC WATER LEVEL 26 ft. below land surface measured on mo/day/yr 01- Pump test data: Well water was Not checked ft. after hours pumping									
		\neg	Est. Yield Unknown gp	om: Well water was		ft. after hours pumping gpm				
N	WNE-	-	WELL WATER TO	BE USED AS: 5	USED AS: (5) Public water supply 8 Air conditioning 11 Injection well					
w		E	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
Was a chemical/bacteriological sample submitted to Department? Yes No V If yes, mo/day/y Sample was submitted Water well disinfected? Yes No									f yes, mo/day/yrs	
5 TYP	E OF CA	SING	USED: 5 Wrough	ht Iron 8 (Concrete tile	e CAS	ING JOINTS: 0	Glued	Clamped	
	Steel 3	3 RM	P (SR) 6 Asbesto	os-Cement 🧿 (Other (speci	fy below)		Welded		
2 PVC 4 ABS 7 Fiberglass Stainless Steel Threaded										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded ✓ 2 PVC 4 ABS 7 Fiberglass Stainless Steel Threaded Blank casing diameter 12 in. to 56 ft., Diameter 12 in. to 73 ft., Diameter in. to ft. Casing height above land surface 12 in., weight 49.56 lbs./ft. Wall thickness or gauge No375										
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)										
2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: (1) Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify) SCREEN-PERFORATED INTERVALS: From 56 ft. to 70 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 47 ft. to 73 ft., From ft. to ft. From ft. to ft., From ft. to ft.										
SCREE	N-PERFO	RATE	D INTERVALS: From	56 ft. t	o 70	ft., From	n	ft. to	ft.	
From ft. to ft., From								ft. to	ft.	
GRAVEL PACK INTERVALS: From 47 ft. to 75						ft., From	n 	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat Cement 2 Cement grout 3 Bentonite 4 Other 50% Bentonite Holeplug/50% Sand										
LOMBACIER SOIL BENTONIE HOIENING										
What is	the nearest s	ource o	om 0-5 ft. to	:					\sim	
1 Septi				Pit privy Sewage lagoon	10 Livesto		Insecticide Stora Abandoned wate	_	16) Other (specify below)	
2 Sewe	er iines ertight sewei	r linas		Feedyard	11 Fuel sto 12 Fertiliz		Oil well/gas well		None known	
	•		0		How man	0 10				
FROM	TO		LITHOLOGIC LO		FROM	ТО	PLUGO	GING INTE	RVALS	
0	2	Tops								
6	6 8		v, tan v, brown							
8	25		, tan, caliche			 				
25	29		, tan some streaks o	f sand, fine			777			
29	50		, gray							
50 55	55		, dark gray, firm	odium goarso			- IVIP			
66	66 70		d and gravel, fine, me d and gravel, fine, me		rv				-1-	
	10		se with rocks, plugge		.,					
70	73	Shal	le, black, hard							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed (3) plugged under my jurisdiction and was completed on (mo/day/year) 01-10-07 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 01-16-07										
1			Clarke Well & Equip			signature)	1	11/1		
INSTRUC	TIONS: Use	typewri	ter or ball point pen. PLEASI	E PRESS FIRMLY and PRI	NT clearly. Ple	ease fill in blanks, u				
copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.										