WATER WELL REC	CORD	Form WW	/C-5	Division of Wa	ter Resources; App. No.	NSWJ4069	
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number	
County: Ness		1	SW 1/4	34	T 19 S	R 23 E /W	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 d							
located within city?				Latitude:			
6½ South, 2½ East of Ness City			Longitude:				
2 WATER WELL OWNER: Dean Funk			Elevation:				
RR#, St. Address, Box # : 21534 60 Road			Datum:				
City, State, ZIP Code : Ness City, Ks 67560			Data Collection Method:				
200112 //				.60 f			
LOCATION	WITH AN "X" IN Depth(s) Groundwater Encountered (1)						
SECTION BOX:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
1	N Pump test data: Well water wasft. after						
Est. Yield. N.A. gpm: Well water was							
WELL WATER TO DE LICED AC. 5 Public vector cumbly 9 Air conditioning 11 Injection well						iection well	
WELL WATER TO BE USED AS: 3 Fublic water supply 8 Air conditioning 11 injection went 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify						ther (Specify below)	
W - E							
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs							
Sample was submitted							
S	1						
5 TYPE OF CASING U	SFD: 5 Wrought	Iron 8 C	oncrete tile	CASI	NG JOINTS: Glued	X Clamped	
1 Steel 3 RMF	P(SR) 6 Ashestos.	Cement 9.0	ther (specif	v helow)	Welded		
(1)							
2 PVC4 ABS7 FiberglassThreadedBlank casing diameter5 in. to							
Casing height above land surface. 18. in., WeightSDR-\$2.26.lbs./ft. Wall thickness or guage No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 60 ft. to 40 ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From							
From30 ft. to ft., From ft. to ft.							
6 GROUT MATERIAL	· 1 Neat coment 2	Cement grout 3	Rentonite	4 Other ho	e 10110		
Grout Intervals: From	m ft. to	ft From	35	ft to 30	ft From 20	ft to 0 ft	
What is the nearest source	of possible contaminat	ion:	ни	. 10. 00	16., 110111	10. 10	
1 Septic tank	4 Lateral lines		10 Lives	tock pens 13 I	nsecticide storage	16 Other (specify	
2 Sewer lines		8 Sewage lagoon			Abandoned water well		
	lines 6 Seepage pit				Dil well/gas well	below) Shop	
Direction from well?!			How man	ny feet? 100			
FROM TO	LITHOLOGIC		FRON		PLUGGING INT	ERVALS	
	soil						
	wn clay						
	estone	*** 2 **					
	& white clay						
	estone						
	clay & gravel m	ixed					
	estone	Inca					
	y &sand XXX mix	ed					
	y, gravel, sand,		d				
	gray shale	& LOCK WILKE	-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 10-22x-10 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No 134 This Water Well Record was completed on (mo/day/year) 10-29-10							
under the business name of Rosencrantz- Bemis by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send to							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephon							
785-296-5522. Send one http://www.kdheks.gov/waterwe		ER and retain on	e for your	records. Fee of \$	5.00 for each constructed	<u>ed</u> well. Visit us a	
mup.//www.kulleks.gov/waterwe	AL HIGEA.HUIII.						