	WATER WELL RECOR	RD Form WWC-5	KSA 82a-1	212 ID N	lo			
1 LOCATION OF WATER WELL	.: Fraction		Sec	tion Number	Township Num	ber	Range Nu	mber
County: LANE	SE ¼	SE ¼ SE 1	4	4	т 19	s	R 28	E/W)
Distance and direction from neare	st town or city street add	ress of well if located	within city?					
3 miles South	n 3 miles Ea	st 1 mile	South	Diaht	on KS			
2 WATER WELL OWNER:	EUGENE SI							
RR#, St. Address, Box # :		28E HWY	96		Board of Agric	ulture, Di	vision of Water I	Resources
City, State, ZIP Code :	DIGHTON F	S 67439			Application N			
3 LOCATE WELL'S LOCATION V	VITH 4 DEPTH OF COM	PLETED WELL	.5.0	ft. ELEVA	TION:			
AN "X" IN SECTION BOX:	Depth(s) Groundy	ater Encountered	13.6	ft	1. 2	ft. 3 .		ft.
N	WELL'S STATIC V	VATER LEVEL3.6	ā ft. belo	w land surfac	ce measured on mo/d	ay/yr	9 90.5	
		test data: Well wate						
NW NE	Est. Yield <u>I</u> .() WELL WATER TO	gpm: Well water	r was Public water s		8 Air conditioning			gpm
l i	**Domestic		Dil field water		9 Dewatering		her (Specify bel	ow)
w i	E 2 Irrigation				10 Monitoring well		, , ,	,
sw se	Was a chemical/b	acteriological sample	submitted to [Department?	Yes No X X:	If ves. mo	o/dav/vrs sample	e was sub-
	mitted	aotomorogica: campro		•	ater Well Disinfected			o XX
X]							
5 TYPE OF BLANK CASING US	SED: 5	Wrought iron	9 Copera	to tilo	CASING IOIN	TS: Glued	Clampe	ad .
1 Steel 3 RM	3		Concrete tile CASING Other (specify below)		JOINTS: Glued Clamped			
2XRVC 4 AB		Fiberglass					ded	
Blank casing diameter				in. to	ft., Dia		in. to	ft.
Casing height above land surface	, 18	in., weight	L60		. lbs./ft. Wall thicknes	s or guage	e No	
TYPE OF SCREEN OR PERFOR		, 0	₹ x₽V		10 Asbes			
1 Steel 3 Sta	IP (SR)							
2 Brass 4 Ga	Concrete tile	9 AB	S	12 None	used (ope	en hole)		
SCREEN OR PERFORATION O	5 Guaz	ed wrapped		8 Saw cut		11 None (open	hole)	
A CONTINUOUS SIST			wrapped		9 Drilled holes			
2 Louvered shutter	4 Key punched	7 Torch	cut		10 Other (specify)	•	•••••	ft.
SCREEN-PERFORATED INTER	VALS: From3() ft. to	50	ft., From	١	ft. to		ft.
	From	ft. to		ft., From	١	ft. to		ft.
GRAVEL PACK INTER		ft. to ft. to ft. to						
	FIOII		······································	11., 11011	1	10		
6 GROUT MATERIAL: 1	Neat cement	2 Cement grout	x3y Bent	onite	4 Other			
Grout Intervals: From0	ft. to2.5	ft., From						
What is the nearest source of po			10 Livestock pens		14 Abandoned water well			
1 Septic tank 4	7 Pit privy		11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage				
Direction from well?		-		How ma	ny feet?			
FROM TO	LITHOLOGIC L	OG	FROM	то	PLUG	GING IN	TERVALS	
0 10 SUE	RFACE CLAY							
	RD GRAY CLAY	-						
	NE SAND							
1	D SAND							
	JE SHALE							
45 50 BIA	JE SHALE							
			<u> </u>			,		
7 CONTRACTOR'S OR LANDO	NAMEDIO OFFICIO :T	ONL This		untari (C)	anaturated == (0) (law many least a start	
- COMMINIONO CON ENTINE								
completed on (mo/day/year) Water Well Contractor's Licence I	67~ .9. ~ .0.5 4.4.4	This Meter	Well Record	and this f	ecola is true to the bes	S. Or irily Kn	= 0.5	iei. Naiisas
under the business name of					(signature)	<u></u>	ander	
INSTRUCTIONS: Use typewriter or ball	ANDY ANDERS				<u> </u>	three orbics		
INDITIONS: Use typewriter of ball	DUILLING FLEASE PHESS FIHI	vici anu chiivi cieariv. Pleas	e iii iii dianks. un	uerillie of circle in	ie collect aliswers. Selic tod	unce copies	to ransas Departine	in Open More Hill