| | | | | TER WELL RECORD | Form WWC-5 | | | | |
|---|--------------|-----------------------|---------------|--|-------------------|--|-------------------------------|--------------------------|-----------------------------|
| | | TER WELL: | Fraction | | Sec | ction Number | | Number | Range Number |
| | | | | | SE ¼ | 31 | т 19 | S | R 3 E/W |
| | | | - | t address of well if local and $56 \mathrm{Go} 1^{\mathrm{J}}$ | | | nd 1/8 Mi | le West | . |
| | | | | y and County | | | | | |
| _ | | × # :400 E | | | | | Board of | Agriculture. D | Division of Water Resources |
| | , ZIP Code | | rson, Kan | | | | | on Number: | |
| LOCATE | WELL'S L | OCATION WITH | 71 | | | | | | |
| - AN "X" | IN SECTIO | N BOX: | Depth(s) Grou | indwater Encountered | 1 6.1 .'.0 !'. | ft. | 2 | ft. 3. | |
| 1 | i | | | | | | | | |
| - | - NW | NE | Est. Yield | gpm: Well w | vater was | ft. a | after | hours pur | mping gpm |
| . w } | ! | E . | 1 | | | | | | toft. |
| <u> </u> | | | | R TO BE USED AS: | 5 Public wate | , | | • | Injection well |
| - | - SW | SE | 1 Domest | | | | • | | Other (Specify below) |
| | ! | 'x | 2 Irrigation | | | | | | day/yr sample was sub- |
| i L | | , | mitted | a samp | as submitted to L | - | YesNo Vater Well Disinfect | | |
| 5 TYPE O |)F BLANK | CASING USED: | 1 | 5 Wrought iron | 8 Concr | | | | i . 🗶 Clamped |
| 1 Ste | | 3 RMP (S | R) | 6 Asbestos-Cemer | | (specify belo | | | ed |
| (2 PV | _ | 4 ABS | • | 7 Fiberglass | | | | | aded |
| | | | .in. to | J · | | | | | in. to ft. |
| | | | | | | | | | 0 |
| TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC | | | | | | | 10 As | sbestos-ceme | ent |
| 1 Steel 3 Stainless steel | | | | 5 Fiberglass | | | | | <i>NA</i> |
| 2 Brass 4 Galvanized steel | | | | 6 Concrete tile | | | | one used (ope | |
| SCREEN C | OR PERFO | RATION OPENIN | NGS ARE: | 5 Ga | auzed wrapped | | 8 Saw cut | | 11 None (open hole) |
| 1 Co | ntinuous slo | ot 3 N | Mill slot | 6 Wi | ire wrapped | | 9 Drilled holes | | Ala |
| | uvered shut | | Key punched | • | orch cut | | | | . NA |
| SCREEN-F | PERFORAT | ED INTERVALS: | | | | | | | o |
| | | OK 11: === | | | | | | | o |
| G | HAVEL PA | ACK INTERVALS | | | | | | | 0 |
| 6 000:- | MATERIA | | From | ft. to | | | om 4. Other | | o ft. |
| _ | MATERIAI | L: 1 Neat | cement | 2 Cement grout ft., From | 15 3 Bento | onite 7 | | | |
| Grout Inter | | omomource of possible | | | . ft. | (3) | | \sim | ft. toft. |
| | | • | | | | | estock pens | <u> </u> | bandoned water well |
| 1 Septic tank 4 Lateral li 2 Sewer lines 5 Cess por | | | | | | | el storage | 15 Oil well/Gas well | |
| 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepage | | | - | • • | | 12 Fertilizer storage13 Insecticide storage | | 16 Other (specify below) | |
| Direction fr | • | 0 348 | hage hit | e reedyard | | | ecticide storage any feet? | | |
| FROM | TO | | LITHOLOGI | IC LOG | FROM | TO How ma | ary reer | PLUGGING IN | NTERVALS |
| 124'6 | | " Sand | and Grav | | | | | | |
| 25'0 | " 15'0 | " Bento | nite Hol | | | | | | |
| 15'0 | " 3'0 | " Cemen | t Grout | | | | | | |
| 3 ' 0 | | | and Cla | ys | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | 1 | | | |
| | | _ | | | | - | | | |
| | | | | | | + | | | |
| | | | | | | | | | |
| | | + | | | | - | | | |
| | | | | | | - | | | |
| | L | 1 | | | | 1 | | | |
| 7 CONTE | RACTOR'S | OR LANDOWNE | R'S CERTIFICA | | | | | | der my jurisdiction and was |
| | | /year 7 - 3 - | | | | | | | owledge and belief. Kansas |
| Water Well | I Contractor | r's License No | 7 | This Water | r Well Record wa | as completed | d on (mo/day/yr) | /-14 - 9. | 5 |