

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: <b>McPherson</b>		<b>NW ¼ NW ¼ SE ¼</b>		<b>28</b>		<b>T 19 S</b>		<b>R 3 E</b>	
Distance and direction from nearest town or city street address of well if located within city? <b>806 East Kansas - McPherson, Kansas</b>									
2 WATER WELL OWNER: <b>Bell Gas</b>									
RR#, St. Address, Box # : <b>P.O. Box 808</b>					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : <b>McPherson, Kansas 67460</b>					Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL . . . . . <b>68</b> . . . . . ft. ELEVATION: . . . . . <b>1488.12</b> . . . . .						
			Depth(s) Groundwater Encountered 1. . . . . <b>60</b> . . . . . ft. 2. . . . . ft. 3. . . . . ft.						
			WELL'S STATIC WATER LEVEL . . . <b>63.19</b> . . . ft. below land surface measured on mo/day/yr . . . <b>3/11/96</b> . . .						
			Pump test data: Well water was . . . <b>NA</b> . . . ft. after . . . . . hours pumping . . . . . gpm						
			Est. Yield . . <b>NA</b> . . gpm: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm						
			Bore Hole Diameter . . . <b>8</b> . . . in. to . . . <b>68</b> . . . ft., and . . . . . in. to . . . . . ft.						
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Lawn and garden only <b>10</b> Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes.....No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No <input checked="" type="checkbox"/>									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . . . . . Clamped . . . . .									
<b>2</b> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . . . . .									
7 Fiberglass . . . . . Threaded. <input checked="" type="checkbox"/>									
Blank casing diameter . . . . . <b>2</b> . . . . . in. to . . . . . <b>48</b> . . . . . ft., Dia . . . . . in. to . . . . . ft., Dia . . . . . in. to . . . . . ft.									
Casing height above land surface . . . . . <b>-5.4</b> . . . . . in., weight . . . . . lbs./ft. Wall thickness or gauge No. . . . . <b>Sch. 40</b>									
TYPE OF SCREEN OR PERFORATION MATERIAL									
1 Steel 3 Stainless steel 5 Fiberglass <b>7</b> PVC 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) . . . . .									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot <b>3</b> Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify) . . . . .									
SCREEN-PERFORATED INTERVALS: From . . . . . <b>48</b> . . . . . ft. to . . . . . <b>68</b> . . . . . ft., From . . . . . ft. to . . . . . ft.									
From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.									
GRAVEL PACK INTERVALS: From . . . . . <b>45.5</b> . . . . . ft. to . . . . . <b>68</b> . . . . . ft., From . . . . . ft. to . . . . . ft.									
From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.									
6 GROUT MATERIAL: 1 Neat cement <b>2</b> Cement grout <b>3</b> Bentonite 4 Other . . . . .									
Grout Intervals: From . . . . . <b>0</b> . . . . . ft. to . . . . . <b>43.5</b> . . . . . ft., From . . . . . <b>43.5</b> . . . . . ft. to . . . . . <b>45.5</b> . . . . . ft., From . . . . . ft. to . . . . . ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage <b>16</b> Other (specify below)									
UST Basin									
Direction from well? <b>NE</b> How many feet? <b>730</b>									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
<b>0 0.33 Gravel/Silt,</b>									
<b>0.33 10 Clay/Silt, Dark Brown</b>									
<b>10 18 Clay/Silt, Red Brown</b>									
<b>18 38 Clay/Silt, Brown</b>									
<b>38 45 Silt/Clay, Gray Brown</b>									
<b>45 50 Silt/Clay, Gray</b>									
<b>50 63 Clay/Silt, Mottled Gray</b>									
<b>63 68 Clay/Silt, Brown</b>									
MW14, Tag # 00117328, Flushmount									
Project Name: Bell Gas #811									
GeoCore # 199, KDHE # U5 059 897									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>1</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . . . . <b>3/8/96</b> . . . . . and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. . . . . <b>527</b> . . . . . This Water Well Record was completed on (mo/day/yr) . . . . . <b>3/25/96</b> . . . . .									
under the business name of <b>GeoCore Services, Inc.</b> by (signature) . . . . . <i>Bell Gas</i>									