

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>McPherson</u>	<u>SW 1/4 SW 1/4 NW 1/4</u>	<u>21</u>	<u>T 19 S</u>	<u>R 3 E</u>


Distance and direction from nearest town or city street address of well if located within city?

1340 North Main

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Application Number:
City, State, ZIP Code :	

Coastal Mart Inc
9 Greenway Plaza
Houston Tx 77046

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ELEVATION:
--	---------------------------	------------



DEPTH OF COMPLETED WELL 95 ft. ELEVATION: 1500.53

Depth(s) Groundwater Encountered 1. 82 ft. 2. . ft. 3. . ft.

WELL'S STATIC WATER LEVEL 82 ft. below land surface measured on mo/day/yr

Pump test data: Well water was . ft. after . hours pumping . gpm

Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm

Bore Hole Diameter 8 in. to . ft., and . in. to . ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes. . No. X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes . No X

5 TYPE OF BLANK CASING USED:	CASING JOINTS: Glued . Clamped .
------------------------------	----------------------------------

1 Steel 3 RMP (SR) 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) 10 Asbestos-cement

2 PVC 4 ABS 7 Fiberglass 8 RMP (SR) 11 Other (specify) 12 None used (open hole)

Blank casing diameter 2 in. to 70 ft., Dia . in. to . ft., Dia . in. to . ft.

Casing height above land surface 24 ft., weight . lbs./ft. Wall thickness or gauge No. .

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 12 None used (open hole)

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 70 ft. to 95 ft., From . ft. to . ft.

From . ft. to . ft., From . ft. to . ft.

GRAVEL PACK INTERVALS: From 68 ft. to 95 ft., From . ft. to . ft.

From . ft. to . ft., From . ft. to . ft.

6 GROUT MATERIAL:	1 Neat cement	<u>2</u> Cement grout	<u>3</u> Bentonite	4 Other
-------------------	---------------	-----------------------	--------------------	---------

Grout Intervals: From 0 ft. to 68 ft., From . ft. to . ft., From . ft. to . ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)

Direction from well? North West How many feet?

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 15 Concrete

15 29 Brown silty clay

29 44 Brown silty clay with shale

44 80 Gray silty clay with shale

80 95 Brown, medium sand

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, <u>(2)</u> reconstructed, or <u>(3)</u> plugged under my jurisdiction and was completed on (mo/day/year) <u>12-16-94</u> and this record is true to the best of my knowledge and belief. Kansas
--

Water Well Contractor's License No. 529 This Water Well Record was completed on (mo/day/yr) 1-8-94

under the business name of Geotechnology Inc by (signature) HTBaldwin