		WATE	R WELL RECORD	Form WWC-5	KSA 82a			
1 LOCATION OF W		Fraction	CII		tion Number	Township Num		Range Number
County: McPhers		NE 1/4	74	W 1/4	26	T 19	S L	R 3 EW
		•	ddress of well if locate	d within city?				
		201 E. Kansas	; McPherson, KS				4087500	9 MW-3
2 WATER WELL (	OWNER: FINA							
RR#, St. Address,	Box # P.O. Bo	x 2159				Board of Agri	culture, Div	ision of Water Resources
City, State, ZIP Coo	TX 75221	Application Number:						
3 LOCATE WELL'S	LOCATION WITH	4 DEPTH OF C	OMPLETED WELL	. 35	ft. ELEVA	TION: Approx. Su	rface 149	93
- AN "X" IN SECT	ION BOX:	Depth(s) Ground	water Encountered 1		ft. 2	2	ft. 3	
ī !	T i	WELL'S STATIC	WATER LEVEL 33	5.•.5 ft. b	elow land sur	face measured on m	o/day/yr .	5/6/87
	- NE	Pum	p test data: Well wate	rwas	ft. a	fter	nours pump	oing gpm
X	-   -	Est. Yield N/	A gpm: Well water	rwas	ft. a	fter	nours pump	oing gpm
<u>•</u>		Bore Hole Diam	eter6.5in. to	3.5		and	in. to	o
<u> </u>		WELL WATER	TO BE USED AS:	5 Public water	r supply	8 Air conditioning	11 Inj	ection well
-   -   -   -   -   -   -   -   -   -	!	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 Ot	her (Specify below)
3W -	-     35	2 Irrigation	4 Industrial	7 Lawn and g	garden only (	Observation well		
		Was a chemical/	bacteriological sample	submitted to De	epartment? Ye	es	; If yes, m	no/day/yr sample was sub-
1	S	mitted			Wa	ter Well Disinfected?	Yes	No X
5 TYPE OF BLAN	K CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINT	rs: Glued .	Clamped
1 Steel	3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify below	v)	Welded	
(Ž)PVC	4 ABS		7 Fiberglass					ed X
Blank casing diame	ter <sup>2</sup>	.in. to	ft., Dia	in. to		ft., Dia	in.	. to ft.
Casing height above	e land surface	2	.in., weight		Ibs./	ft. Wall thickness or	gauge No.	Schedule 40
TYPE OF SCREEN				<b>Ø</b> ≥v	C	10 Asbes	tos-cement	
1 Steel	3 Stainles	s steel	5 Fiberglass	8 RM	IP (SR)	11 Other	(specify)	
2 Brass	4 Galvania	zed steel	6 Concrete tile	9 AB	S	12 None	used (open	hole)
SCREEN OR PERF	FORATION OPENIN	IGS ARE:	5 Gauz	ed wrapped		8 Saw cut	1	11 None (open hole)
1 Continuous slot 3Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered sl	hutter 4 K	(ey punched	7 Torch					
SCREEN-PERFOR	ATED INTERVALS:							
GRAVEL	PACK INTERVALS	: From	. <del>??</del> ft. to .	35	ft., Fro	m	$\dots$ ft. to.	
		From	ft. to				ft. to	
6 GROUT MATER		cement	2 Cement grout	3 Bento	onite 4	Other Volclay Gr	out	
Grout Intervals:	From20	.ft. to	<sup>2</sup> ft., From	.0 ft.	to	ft., From		ft. to
What is the neares	t source of possible					tock pens		andoned water well
1 Septic tank 4 Lateral lines		ral lines	7 Pit privy		①DFuel	Fuel storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess poor		s pool	8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)		er (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								
Direction from well	? North-North				How ma			
FROM TO		LITHOLOGIC		FROM	то	LI	THOLOGIC	LOG
0 3		Silty Lean Cla						
3 12		Brown Lean to						
12 20		Brown Silty Le		_				
20 28	<del></del>	Clay With Sand	<u> </u>		1			
28 35	Red-Brown	Clayey Sand			1			
					-			
			- /					
					1			
7 CONTRACTOR	'S OR LANDOWNE	R'S CERTIFICAT						r my jurisdiction and was
completed on (mo/day/year)								
water Well Contractor's License No								
under the business			-or suttext		by (signa	iture)	150	
INSTRUCTIONS: U	se typewriter or ball po	int pen. PLEASE PRI	ESS FIRMLY and PRINT cle nvironmental Geology, Regi	early. Please fill in	blanks, underlin	ne or circle the orrect ar	swers. Send	top three copies to Kansas
	tn and Environment, Off DWNER and retain one		nvironnental Geology, Hegi	uiauori arid Permi	iung secilon, 10	poka, narisas 00020-75	, raieprione	5. 510-002-3300. Galia olia
						<del></del>		