				ER WELL RECORD	Form WWC-	5 KSA 82a-	1212			
	ON OF WAT		Fraction			ction Number	Township Numbe		ge Number	
County:	McPherso			·	NW 1/4	26	т 19	SR	3 EW	
Distance a			•	address of well if locate enue, McPherson, K	•		50885020	MW-1	1	
2 WATE	R WELL OW	NER: FINA								
RR#, St.	Address, Box	(# : P.O. Bo	× 2159				Board of Agricu	lture, Division of	Water Resources	
City, State	, ZIP Code	: Dallas,	TX 75221		<u>, , , , , , , , , , , , , , , , , , , </u>		Application Nun	nber:		
LOCAT	E WELL'S LO	OCATION WITH	4 DEPTH OF	COMPLETED WELL.	52.5	ft. ELEVA	TION: Approx. Sur	face Elev: 14	98	
- AN "X"	IN SECTION	N BOX:	Depth(s) Groun	dwater Encountered 1	31	ft. 2		. ft. 3		
ī	!		WELL'S STATE	C WATER LEVEL	35•6 ft.	below land surf	ace measured on mo/o	day/yr07	/14/88	
1 1	NW	- NE	Pur	np test data: Well wate	erwas	ft. af	ter hot	urs pumping	gpm	
1 [×	/46	Est. Yield N	/A gpm: Well wate	erwas	ft. af	ter hou	urs pumping	gpm	
<u>•</u> L	i	1 .	Bore Hole Dian	neter 11 in. to	52.5		and	in. to	. ft.	
Mile W	1	j [WELL WATER	TO BE USED AS:	5 Public wa	er supply	8 Air conditioning	11 Injection w	ell	
7	sw	SF	1 Domestic		6 Oil field w	ater supply	9 Dewatering	12 Other (Spe	cify below)	
ΙĪ	- 3 7	32	2 Irrigation		7 Lawn and	garden only	Monitoring well	,		
I L	i	1	Was a chemica	l/bacteriological sample	submitted to I	Department? Ye	s;	If yes, mo/day/yr	sample was sub-	
			mitted			Wat	er Well Disinfected? Y	'es N	lo X	
5 TYPE	OF BLANK C	ASING USED:		5 Wrought iron	8 Cond	rete tile	CASING JOINTS:	Glued C	lamped	
1 St		3 RMP (SI	R)	6 Asbestos-Cement	9 Othe	(specify below	<i>'</i>)	Welded		
ØP\	/C	4 ABS		7 Fiberglass				Threaded	.×	
Blank casi	ing diameter	4	.in. to	⁵ ft., Dia	in. t	0	ft., Dia	in. to	ft.	
Casing he	ight above la	and surface	2	in., weight	<u></u> .	Ibs./1	t. Wall thickness or ga	uge No. Sched	ule 40	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		☞	vc	10 Asbestos	s-cement		
1 St	eel	3 Stainless	s steel	5 Fiberglass	8 R	MP (SR)	11 Other (s	pecify)		
2 Br	ass	4 Galvaniz	zed steel	6 Concrete tile	9 A	BS	12 None us	ed (open hole)		
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut								11 None	(open hole)	
1 Co	ontinuous slo	t B M	fill slot	6 Wire	wrapped		9 Drilled holes			
2 Lo	uvered shutt	er 4 Ke	ey punched	7 Torch		-	10 Other (specify)			
SCREEN-	PERFORATE	ED INTERVALS:	From	.32.5 ft. to .		2 ft., Fror	n	. ft. to		
				ft. to .						
(GRAVEL PA	CK INTERVALS:	From	.30 ft. to .		ft., Fror	n	. ft. to		
			From						ft.	
	T MATERIAL			@Cement grout	⊋ ③ Ben	tonite 4	Other			
				ft., From	4 ft.			ft. to .		
		ource of possible						14 Abandoned		
1 Septic tank 4 Lateral lines				_			el storage 15 Oil well/Gas well			
	ewer lines	5 Cess	•				ertilizer storage 16 Other (specify below)			
	-	er lines 6 Seep	age pit	9 Feedyard			ticide storage	• • • • • • • • • • • • • • • • • • • •		
	from well?	East	LITHOLOGIC	2100	FROM	How mar		NAC INTERVAL	3	
FROM 0	12	Dark Gray I	LITHOLOGIC Lean to Fat C		FROM	ТО	FLOGO	SING INTERVAL	3	
12	27	Gray Lean C		,						
27	31		Clay With San	nd .						
31	35		Clayey Medium							
35	40		Medium to Coa							
40	49			rse Sand With						
	177		of Fat Clay	ii 30 odiid wiiii						
49	52.5		Clay, Trace	Sand						
_ 4 2	72.7	Mai Ooli 1 a1	Cray, II acc	Jana						
						1				
						+ +				
	L									
_			R'S CERTIFICA 07/09/88	TION: This water well v						
1 '	on (mo/day		116				rd is true to the best of	my my wledge	pd belief. Kansas	
1		's License No.	- ta	onsultants	vell Record v			> 5	•	
	business na					by (signa	F	الكال		
INSTR				S FIRMLY and PRINT clearly. F			the correct answers. Send to	three copies to Kans	as Department	