			WATE	R WELL RECORD F	orm WWC-5	KSA 82a	-1212		
		TER WELL:	Fraction	NW CW	^	tion Number	Township Numb		Range Number
County://	CPNE	from pearest tow	n or city street a	address of well if located	1/4 within city?	30	T 19	s l	R 3 #W
	_ •	West	<u> </u>	15 Pherson	•				
	R WELL OW	NER DEN	VIS MA	ENNICH					
38#. St. /	Address Box	×#: 2 年2	Box 21	6			Board of Agric	ulture. Divi	ision of Water Resource
N	710 0 4	mabl	mac and	レレ ムグはんち		A control of the cont			
LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF (COMPLETED WELL	47	ft FLEVA	TION:		
AN "X"	IN SECTION	BOX:	Depth(s) Ground	dwater Encountered _1.		186 #	2	ft. 3	ft.
. r	1		WELL'S STATIC	WATER LEVEL 8.4	2 ft. b	elow land su	face measured on mo	/dav/vr .	8-7-84
	1		Pum	p test data: Well water	was . 8.4	🥍 ft. a	ifter ho	ours pump	ing 🎖 gpm
	- NW	NE	Est. Yield 2.P.	30 gpm: Well water	was A.	ft. a . يوسور	ifter ho	ours pump	ing gpm
• w L	<u>i</u>		Bore Hole Diam	eter % in. to	-	52. ft.,	and	in. to	,
ž "]	X!	!			Public wate		8 Air conditioning		ection well
ī l_	- SW	SE	1 Domestic						ner (Specify below)
	1	ī	2 Irrigation		-	-	10 Observation well		
Į L	!			bacteriological sample su	bmitted to De	-		-	
Type	S DI ANIIC C	CASING USED:	mitted	E Mary and A france	0.0		ter Well Disinfected?		
1 Ste		JASING USED: 3 RMP (SF	2)	5 Wrought iron 6 Asbestos-Cement	8 Concre	ete tile (specify belo			. W Clamped
(2 P)		A ABC	•	7 Fiberalasa			,	Throads	.al
Blank casi	ng diameter	5	in. to . 137	ft Dia	in to		ft Dia	in	to ft
Casing hei	ight above la	and surface	12	in., weight	7/	Ibs.	ft. Wall thickness or q	auge No.	. 265
		R PERFORATION		, 3	(7 PV		10 Asbesto		
1 Ste	eel	3 Stainless	steel	5 Fiberglass		P (SR)	11 Other (:	specify)	
2 Bra	ass	4 Galvanize	ed steel	6 Concrete tile	9 AB	S	12 None u	sed (open	hole)
SCREEN (OR PERFO	RATION OPENING		5 Gauzeo	wrapped		8 Saw cut	1	1 None (open hole)
1 Co	ntinuous slo			6 Wire w			9 Drilled holes		
	uvered shut		ey punched	lan ⁷ Torch o					
SCREEN-I	PERFORATI	ED INTERVALS:	From	/ / /					
,	SDAVEL DA	CK INTERVALS:	From	ft. to					
,	ANAVEL FA	OK INTERVALS.	From	ft. to		ft., Fro			
GROUT	MATERIAL	.: 1 Neat c	ement	2 Cement grout	3 Bento	nite 4	Other		
Grout Inter	rvals: Fro	m <i>5</i>	ft. to 1.5.	ft., From	ft.	to	ft., From		ft. to
		ource of possible					stock pens		ndoned water well
Septic tank 4 Lateral I			al lines	7 Pit privy		11 Fuel	Fuel storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			pool	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 W	atertight sew	er lines 6 Seep	77	9 Feedyard			cticide storage	•	
Direction f		Sirus		1.00	_ FD014			4	100
FROM	. <u>5</u>	TOPS	O I L	LOG	FROM	то	, LIII	HOLOGIC	LOG
5	ブス	DEDE		CLAUS					
2 3	3%	TANC	LAUS	421143					
36	36		SANOS	7.00	<u> </u>				
053349349	43 86 89	14 A	L AUS						
43	86	MEDIL		E SANDS					
36	89	WHITE	ECLAY						
89	152	MEDIUM	I FINE	EQUS SANDS					
						ļI			
	<u> </u>								
	1	00.14.100	NO OFFI	PION THE	4				
		UH LANDOWNER	CS CERTIFICAT	TION: This water well wa	s (1 constru				
	on (mo/day		1 77 9	This 141-4 141-	II Doord			my know	ledge and belief. Kansas
		's License No Ime of EFE	OC ALL T	This Water We			ature) $\mathcal{O}_{\mathcal{L}}$	Not	2. Nation
INSTRUC	TIONS: Use	typewriter or ball	point pen. Pl FA	SE PRESS FIRMLY and				circle the o	orrect answers. Send to
three copi	es to Kansas	Department of He	alth and Environ	ment, Division of Environn					
IV/NED	and retain on	ne for vour record	10						