W	ATER WELL RECO	ORD Form WWC-5	KSA 82a-12	212 ID N	onw-6			
LOCATION OF WATER WELL:	Fraction		Section	on Number	Township Numb	er	Range Nu	mber _
County: MCPHERSON	SE 1/4	SE 1/4 NW 1/2	2	9	T 19	s	R 3	E(W)
Distance and direction from nearest to					•			
KANSAS AVENUE	(HWY 56)	AND HICKOR	RY STRA	ÉT				
2 WATER WELL OWNER:	le 5 Rek	ning Lorporate	^					
RR#, St. Address, Box # : 21	M. Robins	on Avenue			Board of Agricu	ılture, Div	ision of Water I	Resources
City, State, ZIP Code : OKL	shome (i)	t ok 7310	2		Application Nu	mber:		
3 LOCATE WELL'S LOCATION WITH		MPLETED WELL	8.46	ft. ELEVA	TION:			
AN "X" IN SECTION BOX:		dwater Encountered	89.	14	. 2	ft. 3		ft.
N		WATER LEVEL	ft. belov	land surfac	e measured on mo/da	y/yr		
		p test data: Well water						
NW NE		gpm: Well water O BE USED AS: 5 F	was Public water su		8 Air conditioning		mping ection well	gpm
	1 Domestic		Dil field water s		9 Dewatering	,	her (Specify bel	ow)
w	2 Irrigation				0 Monitoring well			
SW SE	Was a chemical	/bacteriological sample s	submitted to De	epartment?	Yes No: I	f ves. mo	o/dav/vrs sample	e was sub-
1 1	mitted	g			ater Well Disinfected?		N	
1 1								
5 TYPE OF BLANK CASING USED		E Wrought iron	9 Conorot	o tilo	CASING IOINT	S: Glund	Clampa	
5 TYPE OF BLANK CASING USED: 5 Wrought iron 1 Steel 3 RMP (SR) 6 Asbestos-Cement			8 Concrete tile CASING JOIN 9 Other (specify below)			TS: Glued Clamped		
2 PVC 4 ABS	,,	7 Fiberglass			· /		ded }	
Blank casing diameter	in. to	ū					in. to	ft.
Casing height above land surface	_							
TYPE OF SCREEN OR PERFORATION		ŭ	Z PVC	•	10 Asbest	os-Ceme	ent	
1 Steel 3 Stainles	ss Steel	5 Fiberglass	8 RMF	(SR)	11 Other (Specify)		
2 Brass 4 Galvani	ized Steel	6 Concrete tile	9 ABS		12 None (ised (ope	en hole)	
SCREEN OR PERFORATION OPEN	NGS ARE:	5 Guaz	ed wrapped		8 Saw cut		11 None (open	hole)
1 Continuous slot	Mill slot		wrapped		9 Drilled holes			
2 Louvered shutter 4 I	Key punched	7 Torch	cut		10 Other (specify) .			ft.
SCREEN-PERFORATED INTERVALS	S: From	ft. to		ft., From	1	ft. to .		ft.
		ft. to						
GRAVEL PACK INTERVALS		ft. to ft. to						
	F10111			H., FIOIII		11. 10 .	•••••	
6 GROUT MATERIAL: 1 Ne	at cement	2 Cement grout	3 Bento	nite	4 Other			
Grout Intervals: From ft. to ft., From		ft. to ft., From		ft., From		ft. to	ft.	
What is the nearest source of possible contamination:				10 Lives	stock pens	14 At	oandoned water	well
1 Septic tank 4 Lateral lines 7 Pit privy			11 Fuel storage 15 Oil well/Gas well					
		8 Sewage				16 Other (specify below)		
		9 Feedyard			cticide storage			
Direction from well?				How ma	ny feet?			
FROM TO	LITHOLOGIC	LOG	FROM	ТО	PLUG	GING INT	ΓERVALS	
77072.00								
							-4	
7	EDIO CEDTIFICA	FIONI: This was 1	- (d) ·	eted (O)	anaturated Co.			
CONTRACTOR'S OR LANDOWN	EH'S CERTIFICAT	IION: This water well w	as (1) constru	cted, (2) rec	constructed, of (3) plug	geo und	er my jurisdictio	on and was
completed on (mo/day/year)	750(This Meta-	Well Possed	and this re	ecord is true to the best	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	owieuge and be	ilei. Nansas
under the business name of Ω	_	•)) /		(signature)		()~	
17/10		ronmatal	<u> </u>			1/		
INSTRUCTIONS: Use typewriter or ball point	pen. PLEASE PRESS FI				e correct answers. Send top to			nt of Health

and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.