r - r		R WELL RECORD F		KSA 82a-1212		
1 LOCATION OF WATER		er ov		on Number	Township Number	Range Number
County: McPhe	poprost town or city street and		V ¼	27	т <b>19</b> s	R 3 W
Distance and direction from nearest town or city street address of well if located within city?  95' North of 551 N Lehmer St., McPherson, KS						
2 WATER WELL OWNER: Cheatham Proprties LLC						
RR#, St. Address, Box # : 1225 Countryside Dr Board of Agriculture, Division of Water Resources						
55 D1 1/0 AT 4AA						ISIOIT OF Water Resources
I LOCATE MEN POLOCATONIMITU						
3 AN "X" IN SECTION BO	X: 4 DEPTH OF CO	OMPLETED WELL	75	ft. ELEVAT	ION: 1	495.70
N Depth(s) Groundwater Encountered 1.5 56 ft. 2 ft. 3						
WELL'S STATIC WATER LEVEL 67.61 ft. below land surface measured on mo/day/yr 1						
	•					pumping Gpm
!						pumping Gpm Gpm Gpm M
<u>a</u> W	E Bore Hole Diamet	er 8.625 in to	75	ft	and i	
Bore Hole Diameter 8.625 In. to 75 ft. and in. to Ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
sw	SE 1 Domestic	3 Feed lot 6 (	Dil field water s	upply	9 Dewatering 1	2 Other (Specify below)
	2 Irrigation	4 Industrial 7 I	awn and garde	en (domestic)	10 Monitoring well	MW-6
+   <u>                                </u>	, <b>.</b> .					, mo/day/yr sample was
S	Submitted				Well Disinfected? Yes	t t
5 TYPE OF BLANK CASIN		5 Wrought Iron			CASING JOINTS: Glue	
1 Steel	3 RMP (SR)					
	1				Theo	aded X
2 PVC	•	7 Fiberglass Ft.,			Inre	aueu^
Blank casing diameter	2 in. to 50	Dia	In. to	ft	., Dia	in. toft.
Casing height above land so	ırface FLUSH I	n. weight	CH 40	Lbs./ft. Wa	all thickness or gauge No	
TYPE OF SCREEN OR PE		ii, iioigiii	7 <b>T</b> F	PVC	10 Asbestos-ceme	ent
1 Steel		5 Fiberglass		RMP (SR)		
2 Brass	4 Galvanized steel	6 Concrete tile	9 /	ABS	12 None used (op	en hole)
SCREEN OR PERFORATION	ON OPENINGS ARE:	5 Gauz	ed wrapped		3 Saw cut	,
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes						
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED IN	ITERVALS: From	<b>50</b> ft. to	75	ft. From	ft. 1	to ft.
SAND PACK INTER	RVALS: From	18 ft to	75	ft From	ft. i	toFt.
OAND I MORNING	From					o Ft.
6 ODOUT MATERIAL	1 Neat cement 2 0					E E
GROUT MATERIAL:	i Neat cement [2]	Ft.	Ft.	ornie 4 C	Julei	
Grout Intervals From2	0.5 ft. to 46	From3 4	6 to	48	ft. From	ft. to ft.
What is the nearest source					pens 14 Ab	
1 Septic tank	4 Lateral lines	7 Pit privy	,	11 Fuel stora		well/ Gas well
2 Sewer lines	5 Cess pool	8 Sewage	lagoon	12 Fertilizer		ner (specify below)
3 Watertight sewer lin	· ·	9 Feedya		13 Insecticid		ntaminated Site
Direction from well?				How many feet		
	ODE LITHOLO	GIC LOG	FROM	то	PLUGGING IN	ITERVALS
0 1	Topsoil		<del>                                     </del>			SEC
1 44	Silty Clay				····	;;
44 75	Sandy Clay					
75 TD	End of Borehole					
		<del></del>				
			-			
7 CONTRACTOR'S OR LA	NDOWNER'S CERTIFICATIO	N: This water well wa	is (x) construct	ed, (2) reconstr	ucted, or (3) plugged und	ler my jurisdiction and w
	10/03					
	nse No.	585	This Wa	iter Well Record	d was completed on (mo/	day/yr) 10/10/12
under the business name of Associated Environmental, Inc. By (signature) Bradley J. Johnson						
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment Bureau of Water Toppka,						
Kanaga 66620 0001 Tol	enhane: 013-206-55/5 Send on	A TO WATER WELL OW	NER and retain	one for vour reco	rde` 🥨	MAN. 16 Jan.