

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: <b>McPherson</b>		<b>NW ¼ SE ¼ NW ¼</b>		<b>29</b>		<b>T 19 S</b>		<b>R 3 E/W</b>	
Distance and direction from nearest town or city street address of well if located within city? <b>1015 W. Woodside St., McPherson</b>						Lat. <b>38.3729207</b> Long. <b>-97.6795682</b>			
2 WATER WELL OWNER: <b>Chrome Plus International</b>									
RR#, St. Address, Box # : <b>3939 W. 29<sup>th</sup> Street South</b>						Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : <b>Wichita, KS 67217</b>						Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL . . . . . <b>110</b> . . . . . ft. ELEVATION: . . . . . <b>1492.95</b> . . . . .							
		Depth(s) Groundwater Encountered 1. . . . . <b>95</b> . . . . . ft. 2. . . . . ft. 3. . . . . ft.							
		WELL'S STATIC WATER LEVEL . . <b>1400.46</b> . . ft. below land surface measured on mo/day/yr . . . <b>12/29/2012</b> . . .							
		Pump test data: Well water was . . . <b>NA</b> . . . ft. after . . . . . hours pumping . . . . . gpm							
		Est. Yield . . <b>NA</b> . . gpm: Well water was . . . ft. after . . . . . hours pumping . . . . . gpm							
		Bore Hole Diameter . . . <b>8</b> . . . in. to . . . <b>110</b> . . . ft., and . . . . . in. to . . . . . ft.							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Lawn and garden only <b>10 Monitoring well</b>									
Was a chemical/bacteriological sample submitted to Department? Yes.....No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No <input checked="" type="checkbox"/>									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . . . . . Clamped . . . . .									
<b>2</b> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . . . . .									
7 Fiberglass . . . . . Threaded. <input checked="" type="checkbox"/>									
Blank casing diameter . . . . . <b>2</b> . . . . . in. to . . . . . <b>90</b> . . . . . ft. Dia . . . . . in. to . . . . . ft. Dia . . . . . in. to . . . . . ft.									
Casing height above land surface . . . . . <b>-6.24</b> . . . . . in. weight . . . . . lbs./ft. Wall thickness or gauge No. . . . . <b>Sch. 80</b>									
TYPE OF SCREEN OR PERFORATION MATERIAL									
1 Steel 3 Stainless steel 5 Fiberglass <b>7</b> PVC 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) . . . . .									
9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot <b>3</b> Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify) . . . . .									
SCREEN-PERFORATED INTERVALS: From . . . . . <b>90</b> . . . . . ft. to . . . . . <b>110</b> . . . . . ft. From . . . . . ft. to . . . . . ft.									
From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft.									
GRAVEL PACK INTERVALS: From . . . . . <b>88</b> . . . . . ft. to . . . . . <b>110</b> . . . . . ft. From . . . . . ft. to . . . . . ft.									
From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft.									
6 GROUT MATERIAL: <b>1</b> Neat cement 2 Cement grout <b>3</b> Bentonite 4 Other . . . . .									
Grout intervals: From . . . . . <b>0.5</b> . . . . . ft. to . . . . . <b>25</b> . . . . . ft. From . . . . . <b>25</b> . . . . . ft. to . . . . . <b>86</b> . . . . . ft. From . . . . . <b>86</b> . . . . . ft. to . . . . . <b>88</b> . . . . . ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage . . . . .									
Direction from well? How many feet?									
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS				
0	1	Topsoil w/grass and root frags, brown clay,							
1	8	Clay, w/silt and gravel, Lt. Brown							
8	10	Clay, silty, Orange-Brown							
10	25	Clay, silty, Yellowish Brown w/Tan							
25	30	Silt, clayey,							
30	40	Sand, vf, w/some silty clay, Lt. Tan							
40	45	Sand, vf, w/incr. silt and clay,							
45	55	Sand, f, w/some silt, Lt. Tan							
55	60	Sand, m,							
60	65	Sand, m, Tan							
65	95	Sand, c, Tan							
95	110	Silt,							
						MW2, Flushmount			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>1</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . . . . <b>12/12/2012</b> . . . . . and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. . . . . <b>527</b> . . . . . This Water Well Record was completed on (mo/day/yr) . . . . . <b>1/11/13</b> . . . . .									
under the business name of <b>GeoCore, Inc.</b> by (signature) <i>Don Bell</i>									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									

OFFICE USE ONLY

T

R

E/W

SEC.

1/4

1/4

1/4