Range Number R 3 W	
ion of Water Resources.	
P94.74 B Ft. r 09/17/13 Imping Gpm to Ft. Injection well Other (Specify below) MW-24 mo/day/yr sample was No X Clamped	OFFICE USE ONLY
ded X in. to ft.	
n hole)	-4
ft. to ft.	₽.
ndoned water well well/ Gas well er (specify below) ntaminated Site	SEC

KSA 82a-1212 Fraction Township Number 1 ILOCATION OF WATER WELL: Section Number NE ¼ NW NE 1/4 19 McPherson County: Distance and direction from nearest town or city street address of well if located within city? 541 N Lehmer St., McPherson, KS 2 WATER WELL OWNER: Cheatham Properties LLC RR#, St. Address, Box # : 1225 Countryside Dr Board of Agriculture, Divis City, State, ZIP Code : McPherson, KS 67460 Application Number: 3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX: DEPTH OF COMPLETED WELL 75 ft. ELEVATION: 14 Depth(s) Groundwater Encountered 1.5 68 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL Dry ft. below land surface measured on mo/day/y Pump test data: Well water was Ft. after hours pu NF ... Est. Yield Gpm: Well water was Ft. after Hours put Bore Hole Diameter 6.5 In. to 75 ft. and in. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 W 6 Oil field water supply 9 Dewatering 1 Domestic 3 Feed lot SW. SE. 7 Lawn and garden (domestic) 10 Monitoring well 2 Irrigation 4 Industrial Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, Water Well Disinfected? Yes Submitted CASING JOINTS: Glued 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile Welde 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel 7 Fiberglass 4 ABS Blank casing diameter 2 in. to 50 Dia In. to ft., Dia

Casing height above land surface FLUSH In., weight SCH 40 Lbs./ft. Wall thickness or gauge No. Ft., 7 PVC 10 Asbestos-cemer TYPE OF SCREEN OR PERFORATION MATERIAL: 8 RMP (SR) 11 Other (specify) 1 Steel 3 Stainless steel 5 Fiberglass 9 ABS 12 None used (oper 4 Galvanized steel 6 Concrete tile 8 Saw cut SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 6 Wire wrapped 3 Mill slot 9 Drilled holes 1 Continuous slot 10 Other (specify) 4 Key punched 7 Torch cut 2 Louvered shutter From 50 ft. to 75 ft. From ft. to SCREEN-PERFORATED INTERVALS: SAND PACK INTERVALS: ft. From ft. to 6 GROUT MATERIAL: 2 Cement grout 3 Bentonite 4 Other 1 Neat cement Grout Intervals From 2 0.5 ft, to 46 From 3 46 to 48 ft. From 10 Livestock pens What is the nearest source of possible contamination: 15 Oil v 7 Pit privy 11 Fuel storage 1 Septic tank 4 Lateral lines 16 Othe 12 Fertilizer storage 2 Sewer lines 5 Cess pool 8 Sewage lagoon Cor 13 Insecticide storage 3 Waterlight sewer lines 6 Seepage pit 9 Feedyard How many feet? Direction from well? PLUGGING IN FROM CODE LITHOLOGIC LOG **FROM** TO 2 Topsoil 0 Silty Clay 18 18 75 Sandy Clay **End of Borehole** 75 TD 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w Completed on (mo/day/yr) 09/16/13 And this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 10/03/13 By (signature) Bradley J. Johnson Associated Environmental, Inc. INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment Bureau and the Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.