	WATER WELL:				ction Number	1		Range Number
County: McPh		NE 1/4		E 1/4	29	T 19	S	R 3 B/V
	ction from nearest towr	n or city street ad	dress of well if locate	ed within city	?			
115 W. Kansa								
2 WATER WELI	OWNER: Green Las	ntern						
RR#, St. Address,	Box# : PO Box 85	56				Board of Agricult	ture, Divisi	ion of Water Resource
City, State, ZIP Co	de : Salina, KS	67402				Application Numl		
3 LOCATE WELL	'S LOCATION 4	DEPTH OF COM	PLETED WELL	120	ft. ELEV	ATION:		
WITH AN "X" II								3
X								r7/14/2014
								pingg
NW -	NE I							ppingg
<u>o</u>								to
w			BE USED AS: 5					njection well
!		1 Domestic			•	_		Other (Specify below)
. sw	SE	2 Irrigation						· · · · · · · · · · · · · · · · · · ·
								mo/day/yr samole was
Y L		ubmitted	aoto rologica campia	, capinitada ta		ter Well Disinfected		
TYPE OF BLAT	K CASING USED:	5	Wrought iron	8 Concr				Clamped
1 Steel	3 RMP (SR)		Asbestos-Cement		(specify belo			
2PVC	4 ABS	7						ded. ✓
<b>\</b> /	eter4i		•					•
-	e land surface							
	OR PERFORATION N		., weight	(7)PV	IDS./I		gauge No stos-ceme	
1 Steel	3 Stainless st		Fiberglass					<del>-</del>
2 Brass	4 Galvanized			9 ABS				
	FORATION OPENINGS				3	12 None		•
1 Continuou				d wrapped rapped		8 Saw cut 9 Drilled holes		11 None (open hole)
2 Louvered			7 Torch					
CREEN-PERFOR	•							
			00 # 15	120	4 Era			•
OUNCEINFERFUR	A IED INTERVALS:	From	9.0ft. to ft. to	120	ft., Fro	om	ft. t	o
	_	From	ft. to		ft., Fro	m	ft. t	o . <i></i>
	PACK INTERVALS:	From	ft. to 35 ft. to	12.6	ft., Fro	om	ft. t	o
GRAVEL	PACK INTERVALS:	From	ft. to	126	ft., Fro	om	ft. ti ft. ti ft. t	o
GRAVEL	PACK INTERVALS:	From	ft. to	126	ft., Fro	om	ft. ti ft. ti ft. t	o
GRAVEL GROUT MATER Grout Intervals:	PACK INTERVALS:  IAL: 1 Neat cer  from 0 ft	From	ft. to	126	ft., Fro ft., Fro ft., Fro nite 4 to 85	omomomom	ft. ti	o
GRAVEL GROUT MATER Grout Intervals: F What is the neares	PACK INTERVALS:  IAL: 1 Neat cer  from 0 ft.  tt source of possible co	From	ft. to	126	ft., Fro ft., Fro ft., Fro nite 4 to83	Other Concreteft, From	ft. ti	o
GRAVEL GROUT MATER Grout Intervals: F What is the neares 1 Septic tank	PACK INTERVALS:  IAL: 1 Neat cer  from 0 ft.  tt source of possible cc. 4 Lateral	From	ft. to	126 Benton	ft., Fro ft., Fro ft., Fro inte 4 to 83 10 Lives 11 Fuels	omomomomom	ft. ti ft. ti ft. ti ft. ti	o
GRAVEL GROUT MATER Grout Intervals: F What is the neares 1 Septic tank 2 Sewer lines	PACK INTERVALS:  IAL: 1 Neat cer  from 0 ft  tt source of possible co 4 Lateral 5 Cess po	From	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lagor	126 Benton	ft., Fro ft., Fro nite 4 to	om	ft. ti ft. ti ft. ti ft. ti	o
GRAVEL GROUT MATER Grout Intervals: F What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag	From	ft. to	126 Benton	ft., From tt., F	om	ft. ti ft. ti ft. ti ft. ti	o
GRAVEL GROUT MATER Grout Intervals: F What is the neares Septic tank Septic tank Sewer lines Watertight se Direction from well	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft at source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL GROUT MATER Grout Intervals: F What is the neares 1 Septic tank 2 Sewer lines 3 Watertight so Direction from well FROM TO	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag ?	From	ft. to	126 Benton	ft., From tt., F	om	ft. ti ft. ti ft. ti ft. ti	o
GRAVEL  GROUT MATER  Frout Intervals: F  What is the neares  Septic tank  Septic tank  Sewer lines  Watertight so  Watertight so  Watertight so  Watertight so  Oirection from well  FROM TO  0 0.33	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete,	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER Frout Intervals: F Vhat is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO 0 0.33 0.33 21	PACK INTERVALS:  If AL:  1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete,  Clay, Orange Bi	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER  Frout Intervals: F  What is the neares  Septic tank  Septic tank  Septic tank  Septic tank  Septic tank  Sewer lines  Watertight se  Direction from well  FROM TO  0 0.33  0.33 21  21 29	PACK INTERVALS:  If AL:  1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER  Frout Intervals: F  What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se  Direction from well  FROM TO 0 0.33 0.33 21 21 29 29 39	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft  It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER Grout Intervals: F What is the neares Septic tank Septic tank Sewer lines Watertight se Direction from well FROM TO 0 0.33 0.33 21 21 29 29 39 39 47	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag  Concrete, Clay, Orange Bi Clay, Tan Brown Clay, Lt. Brown Clay, Lt. Gray I	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER  Grout Intervals: F  What is the neares  Septic tank  Septic tank  Sewer lines  Watertight se  Circction from well  FROM TO  0 0.33  0.33 21  21 29  29 39  39 47  47 80	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag  Concrete, Clay, Orange Bi Clay, Tan Brown Clay, Lt. Brown Clay, Lt. Gray Bi Silt, Lt. Gray Bi	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER  Grout Intervals: F  What is the neares  Septic tank  Septic tank  Sewer lines  Watertight so  Circction from well  FROM TO  0 0.33  0.33 21  21 29  29 39  39 47  47 80  80 97	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Br Clay, Tan Brown Clay, Lt. Brown Clay, Lt. Gray Br Sand, Lt. Gray	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER Grout Intervals: F What is the neares Sewer lines Watertight se Direction from well FROM TO 0 0.33 0.33 21 21 29 29 39 39 47 47 80 80 97 97 103	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft at source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Brow	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER  Frout Intervals: F  What is the neares  Septic tank  Septic ta	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Broy Shale, wthrd, clay	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER Frout Intervals: F What is the neares Sewer lines Watertight so Direction from well FROM TO 0 0.33 0.33 21 21 29 29 39 39 47 47 80 80 97 97 103	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft at source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Brow	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER Frout Intervals: Frout Intervals: Frout Intervals: Frout Intervals: From the source of the sou	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Broy Shale, wthrd, clay	From	ft. to	126	ft., From tt., F	om	14 Abo	o
GRAVEL  GROUT MATER Frout Intervals: Frout Intervals: Frout Intervals: Frout Intervals: From the source of the sou	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Broy Shale, wthrd, clay	From	ft. to	126	ft, From tt,	om	14 Abo	o
GRAVEL  GROUT MATER  Frout Intervals: F  What is the neares  Septic tank  Septic ta	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Broy Shale, wthrd, clay	From	ft. to	126	ft, From tt,	om	14 Abo	o
GRAVEL  GROUT MATER  Frout Intervals: F  What is the neares  Septic tank  Septic ta	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Broy Shale, wthrd, clay	From	ft. to	126	ft, From tt,	om	14 Abo	o
GRAVEL  GROUT MATER  Grout Intervals: F  What is the neares  Septic tank  Septic tank  Septic tank  Sever lines  Watertight so  Oirection from well  FROM TO  0 0.33  0.33 21  21 29  29 39  39 47  47 80  80 97  97 103  103 107  107 126	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft it source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Brow Shale, wthrd, cla Sand, gravel, Br	From	ft. to	3Benton 2ft. to	ft, From tt,	Other Concrete Other	14 Aba 15 Oil 16 Oth	o
GRAVEL  GROUT MATER Grout Intervals: F What is the neares 1 Septic tank 2 Sewer lines 3 Watertight so Direction from well FROM TO 0 0.33 0.33 21 21 29 29 39 39 47 47 80 80 97 97 103 103 107 107 126	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Broy Shale, wthrd, clay	From	ft. to	3Benton 2ft. to	ft, From tt,	Other Concrete Other	14 Aba 15 Oil 16 Oth	o
GRAVEL  GROUT MATER Grout Intervals: F What is the neares Sewer lines Watertight se Direction from well FROM TO 0 0.33 0.33 21 21 29 29 39 39 47 47 80 80 97 97 103 103 107 107 126  CONTRACTORS and was completed	PACK INTERVALS:  If AL:  1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag ?  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Brow Shale, wthrd, cli Sand, gravel, Br	From	ft. to	3 Benton 2 ft. ft.	ft, From tt,	Other Concrete Other	14 About 15 Oil 16 Oth 16 Oth 17 Oil 18 Oil	o
GRAVEL  GROUT MATER Grout Intervals: F What is the neares Sewer lines Watertight se Direction from well FROM TO 0 0.33 0.33 21 21 29 29 39 39 47 47 80 80 97 97 103 103 107 107 126  CONTRACTORS and was completed	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag 7  Concrete, Clay, Orange Bi Clay, Tan Brow Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Sand, silty, Brow Shale, wthrd, cli Sand, gravel, Br	From	ft. to	3 Benton 2 ft. ft.	ft, From tt,	Other Concrete Other	14 About 15 Oil 16 Oth 16 Oth 17 Oil 18 Oil	o
GRAVEL  GROUT MATER Frout Intervals: Fout Intervals: Fout Intervals: Four tank Septic tank	PACK INTERVALS:  IAL: 1 Neat cer from 0 ft. It source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag?  Concrete, Clay, Orange Bi Clay, Tan Brown Clay, Lt. Brown Clay, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Bi Sand, Lt. Gray Bi Sand, silty, Brow Shale, wthrd, cla Sand, gravel, Br	From	ft. to	3 Benton 2 ft. ft.	ft, From tt,	Other Concrete.  Other Concrete.  It, From  tock pens storage storage sticide storage y feet?  PLUC  PLUC  TW3R, Flushmount  onstructed, or (3) plucord is true to the becompleted on model.	14 About 15 Oil 16 Oth 16 Oth 17 Oil 18 Oil	o

WATER WELL RECORD Form WWC-5 KSA 82a-1212