## KOLAR Document ID: 1416755

	WELL R			WWC-5		ivision of V						
		Correction		e in Well Use	1	sources Ap	1		Well ID			
1 LOCATION OF WATER WELL: Fraction						Section Number         Township Number           1/4         T         S				ge Number		
e ou my.						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
							rection from nearest town or intersection): If at owner's address, check here:					
Address:	Address:						,,,					
Address:			<b>Q</b>	700								
City: 3 LOCAT			State:	ZIP:								
	WITH "X" IN 4 DEPTH OF COMPLETED WELL:											
	SECTION BOX. Depth(s) Groundwater Encountered: 1)						Longitude:					
1	2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL:							WGS 84 NA		IAD 27		
X							Source for Latitude/Longitude:					
	NE	, measured on (mo-day			(WAAS enabled? $\Box$ Yes $\Box$ No)							
	Pump test data: Well wa							□ Land Survey □ Topographic Map				
W				rs pumping gpm water was ft.			□ Online Mapper:					
				rs pumping gpm								
Estimated Yield:						6 Elevation:ft.  Ground Level  TOC						
					in. to ft. and			Source:  Land Survey  GPS  Topographic Map Other				
	nile	DE LICED		in. to	ft.		L					
7 WELL WATER TO BE USED AS:         1. Domestic:       5. □ Public Water Supply: well ID         10. □ Oil Field Water Supply: lease												
	□ Household											
Lawn	□ Lawn & Garden 7. □ Aquifer Recharge: well ID					. [	$\Box$ Cased $\Box$ Uncased $\Box$ Geotechnical					
	Livestock 8. Monitoring: well ID							nal: how many bore				
	2. Irrigation 9. Environmental Remediation: well ID.						a) Closed Loop 🔲 Horizontal 🗌 Vertical					
	3. □ Feedlot     □ Air Sparge     □ Soil Vapor Ex       4. □ Industrial     □ Recovery     □ Injection						b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE?       Yes       No       If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel       Steinless Steel       Fiberglass       PVC       Other (Specify)         Brass       Galvanized Steel       Concrete tile       None used (open hole)												
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft. to ft.												
☐ Septic			Lateral Line	es 🗌 Pit Privy		Livestoc		🗌 Insecti	cide Storage			
Sewer			Cess Pool	Sewage La		Fuel Stor			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well? ft.												
10 FROM	TO		ITHOLOG		FROM	TO		THO. LOG (cont.) of		G INTERVALS		
								. /				
						-						
	<u>├</u>											
					Notes:	1	I					
11 CONT	RACTOR'S	OR LANDO	WNER'S	S CERTIFICATION	N: This wa	ter well w	as 🗌 c	onstructed, 🗌 reco	onstructed,	or plugged		
under my j	urisdiction an	d was compl	eted on (n	no-day-year) This Wa	$\dots$ an	d this reco	ord is tr	rue to the best of m	y knowled;	ge and belief.		
				Inis wa								
	S	Send one copy to	WATER W	ELL OWNER and retain	one for your r	ecords. Fee	of \$5.00	for each constructed we	ell.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												