direction from nearest town or intersection: If at owner's address, check here Longitude: 97.62647 (in decimal degrees)  Elevation: NA	WATER WELL PLUGGING RECORD	Form WWC-SP	KSA 82a-1212	ID NO.	MW/	
direction from nearest town or intersection: If at owner's address, check here	County: McPherson	NE 14 NE 14 SW 14 NW	/ 1/4 26	T 19 S	3 E X W	
2201 E Kansas Ave., McPherson, KS 67460    Morizontal Datum   X WGS84.   NAD83,   NAD27   Collection Method:   Col	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here		Latitude: 38.37131 (in decimal degrees) Longitude: 97.62647 (in decimal degrees)			
RR#, St. Address, Box #: 342 N Quentin	2201 E Kansas Ave., McPherson, KS 67460	Horizontal Datum X WGS84, NAD83, NAD27				
WITH AN "X" IN SECTION BOX:  N WELL'S STATIC WATER LEVEL NA ft  WELL WAS USED AS:  WELL WAS USED AS:  Domestic	RR#, St. Address, Box #: 3-	Digital Map/Photo, Topographic Map Land Survey				
W SE   Irrigation   Domestic (Lawn & Garden)   Injetion Well   Domestic (Lawn & Garden)   Injetion Well   Other	WITH AN "X" IN SECTION BOX:  N NE NW NE	WELL'S STATIC WELL WAS USE	WATER LEVEL	NA ft		
S TYPE OF BLANK CASING USED:  Steel RMP (SR) Asbestos-Cement Concrete Tile  Blank casing diameter 2 in. Casing heigh above or below land surface NA in.  6 GROUT PLUG MATERIAL: Neat cement Cement grout X Bentonite X Other Concrete: 0-0.5'; Soil: 0.5-3'  Grout Plug Intervals: From 3 ft to 39.8 ft, From ft to ft, From ft to ft,  What is the nearest source of possible contamination:  Septic tank Sever lines Pit privy Fertilizer storage Watertight sewer lines Sewage lagoon Insecticide storage Lateral lines Feed yard Abandoned water well Direction from well?  Lateral lines Direction from well?  FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS  0 0.5 Concrete 0.5 3 Soil 1	w E	Irrigation Feedlot	Oil Field Water Supply Domestic (Lawn & Garden)  X Monitoring Injetion Well			
Steel RMP (SR) Wrought Asbestos-Cement Concrete Tile  Blank casing diameter 2 in. Casing heigh above or below land surface  GROUT PLUG MATERIAL: Neat cement Cement grout X Bentonite X Other Concrete: 0-0.5'; Soil: 0.5-3'  Grout Plug Intervals: From 3 ft to 39.8 ft, From ft to	S					
Grout Plug Intervals: From 3 ft to 39.8 ft, From ft to ft, From ft to ft, From ft to ft,  What is the nearest source of possible contamination:  Septic tank Sever lines Pit privy Fertilizer storage Watertight sewer lines Lateral lines Cess pool Livestock pens Oil well/Gas well Direction from well?  FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS  0 0.5 Concrete 0.5 3 Soil 3 39.8 Bentonite	Steel RMP (SR) Wrought Fiberglass Other (Specific below)  ABS Steel RMP (SR) Stee					
Sewer lines   Pit privy   Fertilizer storage   Insecticide storage   Lateral lines   Cess pool   Livestock pens   Oil well/Gas well   Direction from well?   How many feet?      FROM TO   PLUGGING MATERIALS   FROM TO   PLUGGING MATERIALS	Grout Plug Intervals: From 3 ft to 39.8 ft, From ft to ft, From ft to ft,					
Lateral lines Cess pool    Cess pool   Ces	Sewer lines Pit pri	storage				
0         0.5         Concrete           0.5         3         Soil           3         39.8         Bentonite	Lateral lines Feed y	ed water well Direction from well?				
KDHE ID: Midway Oil Co. (Former); U5-059-14886	0 0.5 Concrete 0.5 3 Soil	NG MATERIALS	FROM TO	) PLUGGIN	G MATERIALS	
			KDHE ID: Midwa	ny Oil Co. (Former); U	5-059-14886	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 10/10/2019 and this record is true to the best of my knowledge and belief. Kansas Water Contractor's License No. 757. This Water Well Record was completed on (mo/day/year) 10/14/2019 under the business name of Larsen & Associates, Inc. By (signature)  Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 St. Jackson						
Visit us at http://www.kdhcks.gov/waterwell/index.html Telephone 785-296-5524.  KSA82a-1212  Revised 1/20/2015						