USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

						T	T	
	County	Fraction Center O	Fraction		number	Township number	Range number	
I. Location of well:	Scott	Center of NW 1/4 NW 1/4SE 1/4		2	3	T 19 s	_R 33	₽
2. Distance and dire	ection from nearest town or city:	1,33	3. 0	wner of well	· Ki:	rby Clawson		
6 S	and $1.3/8$ W of	Scott Cit	У R.R.	or street:		tanta, KS 678	370	
Street address of we	Il location if in city:		City,	state, zip				
4. Locate with "X"	in section below:	Sketch map:		4		6. Bore hole dia. 26 in	. Completion date _	77
	N	·				Well depth 190 ft.	2-16-	
	; I					7 Cable tool Rotary		
NW						Hollow rod Jetted	Bored X_Rev	erse rotary
. !	!				i	8. Use: Domestic Po	ublic supply In	dustry
₩ 	E					_XIrrigation A	ir conditioning St	
- I	- * i					LawnO		Other
	1 2 35					9. Casing: Material Stee		
	<u> </u>					Threoded Welded		in. lbs./ft.
	S Mile 					Dia 16 in. to 190 ft. dep	oth!Wall Thickness: in	nches or
	f material		·	From	То	Dia in. to ft. dep	th gage No2	50
5. Type and color o	See attac	hment		.,,,,,,,		10. Screen: Manufacturer's		
	RPINV 181						16"	
	UNUA 10	<i>f</i>		-		Type Continuous Slot/gauze100	5 Dia. 10.	
						Slot/gauze 170	Length	
	MIN.					120ft.	and	ft
						Gravel pack? Yesize ro	nge af material 3	x 1/8
		-				11. Static water level: 118 ft. below land su	rface Date 2-18	./day/yr.
						12. Pumping level below lan	JC	
			- 000			ft. after		
					<u> </u>	Estimated maximum yield —	nrs. pompring	_ g.p.m.
						13. Water sample submitted:	mo	./day/yr.
						Yes <u>X</u> Na	Date	
						14. Well head completion:	***	
						Pitless adapter	12 Inches above	grade
						15. Well grouted? Yes		1
						With: Neat cement X Depth: From O ft. to	Bentonite —	Cancrete
						Depth: From ft. to 16. Nearest source of possible	Non	e
					ļ	ft Direction	Type	
						Well disinfected upon compl	etion?Yes	X No
					 	17. Pump:	X Not installed	
						Manufacturer's name		
	100							olts
					1	Length of drop pipe	ft. capacity	g.p.m.
						Type: Submersible	Turbir	ne l
				_	 	Jet		rocating
	(Use a secand	I sheet if needed)				Centrifugal	Other	
18. Elevation:	19. Remarks:	,				20. Water well contractor's		
Flat	7/1	ig jegg t	<i>(</i>)			This well was drilled under r		is report
						is true to the best of my kno enkle Drlg.		145
Hill						Business name Box 639 G	arden Ci	Ey, Ks
Slope						Address On M	A 1 3.	-3-77
Upland						Signed Authorized re	Date Date	•
Valley						MUINOLIZEU 18	Di esettiali ve	

DRILLERS TEST LOG

CUSTOMERS NAME	Kirby Clawson	DATE 12-3-76
STREET ADDRESS		TEST # 3 E. Log 200
	Satanta, KS	DRILLER Rector
		23 TOWNSHIP 19 RANGE 33

LOCATION 660' S. of N.W. corner of 1/4 and 650' E.

%	DRILLED	***************************************	FOOTAGE	WELL LOCATION Static Water Level
/°	From	Pay		Description of Strata Proposed Well Depth
-	0	1 47	3	Surface
	3		20	Brown clay
	20		35	
	35		40	Brown sandy clay and fine sand
	40			Brown clay
			. 60 70	Sand fine med. coarse and fine sandy clay sts.
	60 70		80	Quick sand and med. coarse gravel
-				Brown clay
-	80		90	Sand and gravel, used lots of water
	90	10	100	Brown sandy clay and sand
55	100	18	118	Sand fine med. coarse, med. small gravel, loose,
	110		150	used water
	118	26	· 150	Gray clay and small sand sts.
70	150	36	186	Sand fine med. coarse, small gravel and med. smal
				white rock, loose, used lots of water
	186		190	Yellow clay
	190		200	Shale
		54		
				TOTAL DEPTH OF WELL 190 FT.
				Set up west
				Pit on north
	,			
CARDEN	CTMV	NON		WIE DOTT TWO C NUMBER OF THE

PHONE 276-3278

GARDEN CITY, KANSAS HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KANSAS IRRIGATION HEADQUARTERS PHONE 675-4311