# ₁₇	WATER WELL RECORD	Form WWC-5 KSA 82	2a-1212 Plu66IN	6 Report
1 LOCATION OF WATER WELL:	Fraction	Section Number		Range Number
County: SCOTT	NE 14 NW 14 NE	= 14 33	T 19 S	R 34 E/W
Distance and direction from nearest town or				
From Scott city 9 South - 9/4 West South Side				
2 WATER WELL OWNER: SO BON HOAGER INON-MARHAL TRUST 96 KATIE BONTAMBER TRUSTER				
RR#, St. Address, Box # :			Board of Agricultu	re, Division of Water Resources
City, State, ZIP Code: 705 AdA - SCOTT CIty KS 6787/ Application Number: VK 25315				
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 130. ft. ELEVATION:				
P AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1				
WELL'S STATIC WATER LEVEL 114 ft. below land surface measured on mo/day/yr 9-4-90				
Pump test data: Well water was ft. after hours pumping gpm				
Est. Yield gpm: Well water was ft. after hours pumping gpm				
Bore Hole Diameterin. toft., andin. toft.				
E WE		5 Public water supply	8 Air conditioning	11 Injection well
	1 Domestic W/3 3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
	Irrigation 4 Industrial	7 Lawn and garden only	10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? YesNo; If yes, mo/day/yr sample was sub-				
I ş mitt	ed	W	/ater Well Disinfected? Yes	No Q
5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: G	lued Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (specify belo	ow) W	/elded
≱PVC 4 ABS	7 Fiberglass		Т	nreaded
Blank casing diameter in.	jo , ft., Dia	in. to	ft., Dia	in. to ft.
Casing height above land surface3.	. <i>be/w</i> in., weight		s./ft. Wall thickness or gauge	∍ No
TYPE OF SCREEN OR PERFORATION MA	ATERIAL:	7 PVC	10 Asbestos-ce	ement
1 Steel 3 Stainless ste	el 5 Fiberglass	8 RMP (SR)	11 Other (spec	sify)
2 Brass 4 Galvanized s	steel 6 Concrete tile	9 ABS	12 None used	(open hole)
SCREEN OR PERFORATION OPENINGS	ARE: 5 Gauze	ed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
Fromft. toft., From ft. toft.				
GRAVEL PACK INTERVALS: From				
	From ft. to	ft., Fr	om	t. to ft.
6 GROUT MATERIAL: 1 Neat cement				
Grout Intervals: From	o ft., From			
What is the nearest source of possible cont	amination:	10 Live	estock pens 14	Abandoned water well
1 Septic tank 4 Lateral lin	' '	11 Fue	storage 15	5 Oil well/Gas well
2 Sewer lines 5 Cess poo		oon 12 Fert	tilizer storage 16	Other (specify below)
3 Watertight sewer lines 6 Seepage		13 Inse	ecticide storage	
Direction from well? NORTH EN			any feet? Over	5 M/ES G INTERVALS
FROM TO L	ITHOLOGIC LOG	FROM TO	PLUGGIN	G INTERVALS SM
130 114 SAND &	Genvel 2.18 Cuft Grant 1514 Cuft			
114 03 Coment	CoRact 1244 Carl			
			and the second s	
			The state of the s	
	A. A		and the second of the second o	
	1 M.		-4.4.5	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
			and the second A world William	7
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (2) plugged under my jurisdiction and was				
completed on (mo/day/year) 9-H-90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr)				
, / ;				1/
under the business name of Henkle Delling & Supply CO by (signature)) on Veilleux				
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send too three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.				