

1) LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Wichita</u>		<u>SW</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$	<u>28</u>	<u>T 19 S</u>	<u>R 35 E/W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>7 $\frac{1}{2}$ miles South 1 $\frac{3}{4}$ East of Marienthal, Kansas</u>					
2) WATER WELL OWNER:		Danny Geyer			
RR#, St. Address, Box # :		R R			
City, State, ZIP Code :		Marienthal, Kansas 67863			
		Board of Agriculture, Division of Water Resources Application Number: _____			
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4) DEPTH OF COMPLETED WELL: . 65 ft. ELEVATION:			
<p>A 2x2 grid representing a section box. The quadrants are labeled NW, NE, SW, and SE. An 'X' is drawn in the center of the SE quadrant.</p>		Depth(s) Groundwater Encountered 1. 36 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL . 36 ft. below land surface measured on mo/day/yr <u>8/26/83</u>			
		NA Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter . . . 9 . . . in. to . . . 65 ft., and in. to ft.			
TYPE OF BLANK CASING USED:		CASING JOINTS: <u>Glued</u> Clamped			
1 Steel		5 Wrought iron	8 Concrete tile		
3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)	Welded	
<u>2 PVC</u>		4 ABS	7 Fiberglass	Threaded	
Blank casing diameter . . . 5 in. to . 35 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface . . . 12 in., weight . . . 2.9 lbs./ft. Wall thickness or gauge No. . 265					
TYPE OF SCREEN OR PERFORATION MATERIAL:		<u>7 PVC</u> 10 Asbestos-cement			
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	
SCREEN OR PERFORATION OPENINGS ARE:		11 Other (specify)			
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	<u>8 Saw cut</u> 11 None (open hole)	
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
SCREEN-PERFORATED INTERVALS: From . . . 35 ft. to . . . 65 ft., From ft. to ft.		10 Other (specify)			
GRAVEL PACK INTERVALS: From . . . 30 ft. to . . . 65 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG			
0	21	Clay	21	27	Fine sand
27	48	Sand	48	49	Clay
49	63	Fine sand clay streaks	63	65	Yellow clay
65		Shale			
6) GROUT MATERIAL: <u>1 Neat cement</u> 2 Cement grout 3 Bentonite <u>4 Other Drill outtings</u>					
Grout Intervals: From . . . 15 ft. to . . . 30 ft., From . . . 4 ft. to . . . 15 ft., From ft. to ft.					
What is the nearest source of possible contamination:					
<u>1 Septic tank</u>		4 Lateral lines	7 Pit privy	10 Livestock pens	
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	
				13 Insecticide storage	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below)	
Direction from well? <u>East</u>		How many feet? <u>150</u>			
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed,</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . . <u>8/26/83</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. . <u>232</u> This Water Well Record was completed on (mo/day/yr) . <u>8/30/83</u> under the business name of <u>Weishaar Drilling & Supply Inc.</u> by (signature) <u>[Signature]</u>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					