

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Wichita</u>	<u>SW</u>	$\frac{1}{4}$	<u>33</u>	T <u>19</u> S	R <u>35</u> E <u>W</u>

Distance and direction from nearest town or city street address of well if located within city?

9 miles South 1 mile East of Marienthal, Kansas

2] WATER WELL OWNER:	Loyd Geyer	
RR#, St. Address, Box # :	606 S. Eighth	Board of Agriculture, Division of Water Resources
City, State, ZIP Code :	Leoti, Kansas 67861	Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile	W	N			E	S

4 DEPTH OF COMPLETED WELL 100 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. 82 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 82 ft. below land surface measured on mo/day/yr 3/4/88

NA Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 9 in. to 100 ft., and in. to ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	11 Injection well
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Observation well	12 Other (Specify below)

Stockwell

Was a chemical/bacteriological sample submitted to Department? Yes.....No.....X.....; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued	Clamped
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded	
		7 Fiberglass		Threaded	

Blank casing diameter . . . 5. in. to . . . 80 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface . . . 12 in., weight . . . 2,765 lbs./ft. Wall thickness or gauge No. . . 258

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:


1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From . . . 80 ft. to . . . 100 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From . . . 70 ft. to . . . 100 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other? Drill cuttings.....
Grout Intervals: From.. 25 ..ft. to .. 70 ..ft., From 4ft. to... 25ft., Fromft. toft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? South How many feet? 200

[illegible]

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/7/88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. . . . 232 This Water Well Record was completed on (mo/day/yr) . . 3/15/88 under the business name of Weishaar Drilling & Supply Inc. by (signature) 

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

+

II

EW

SEC

2/4

 $\frac{1}{2}$ $\frac{1}{2}$