				H WELL RECORD	Form vvv							
	ON OF WAT		Fraction	11- 1		Section Number	Township		1	e Numb		
	M Y her		NE 1/4		W 1/4	29	т 19	S	R	4	E(W)	
		Lowway		ddress of well if loca	ated within ci	ty?	K	rebs	130			
		NER: NUR						1007				
ZJ WAIEF	Address Da	x# : P.O.	1404				Deced of	A! 14	Division of N	D		
		ALDIA	rson, Ks	67460				•	Division of V	vater H	esources	
	, ZIP Code				87			n Number:				
AN "X"	IN SECTION	N BOX:	_	OMPLETED WELL.							1	
				water Encountered								
Ŧ l	-	!!!!		WATER LEVEL .								
-	- NW	NE		test data: Well w								
	1	1		gpm: Well w								
* w -	1	1 F	Bore Hole Diame	eterIDin.	to	. / ft., a	ınd	ir	n. to		ft.	
₹ "	i X	! !] [WELL WATER T	O BE USED AS:	5 Public v	water supply	8 Air conditionin	g 11	Injection we	ell		
ī L	sw		1)Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (Spec	cify belo	w)	
lľ	1	3,	2 Irrigation	4 Industrial	7 Lawn a	nd garden only 1	0 Monitoring we	#				
1 L	i		Was a chemical/t	pacteriological samp	le submitted t	o Department? Ye	sNo?	; If yes	, mo/day/yr	sample	was sub-	
<u> </u>		5	mitted			Wat	er Well Disinfect	ed? Yes	No	, 🔀		
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	8 Cc	oncrete tile	CASING JO	DINTS: Glue	d Cl	amped.		
1 Ste	eel	3 RMP (SF	R)	6 Asbestos-Ceme	nt 9 Ot	her (specify below)	Weld	ded			
(2)PV	/C	A ABS	,	7 Fiberglass				Thre	aded			
Blank casir	ng diameter	6	in. to	ft., Dia	in	. to	ft., Dia		in. to		ft.	
Casing hei	ight above la	and surface=	14	in., weight		Ibs./f						
TYPE OF	SCREEN O	R PERFORATION	N MATERIAL:	_		PVC		bestos-cem				
1 Ste	eel	3 Stainless	steel	5 Fiberglass	8	RMP (SR)	11 Ot	her (specify) <i>.</i>	.		
2 Bra	ass	4 Galvaniz	ed steel	6 Concrete tile		ABS	12 No	one used (or	pen hole)			
SCREEN (OR PERFOR	RATION OPENING	GS ARE:	5 Ga	uzed wrappe	d	8 Saw cut		11 None (open h	ole)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes											,	
2 Louvered shutter 4 Key punched 7 Torch cut (10) Other (specify) Lunk vouv												
SCREEN-F	PERFORATE	ED INTERVALS:		ft. to							ft.	
			_			ft., Fron					,	
G	GRAVEL PA	CK INTERVALS:	From	ft. to		,					I	
			From	ft. to		ft., Fron		ft.			ft.	
6 GROUT	MATERIAL	: Neat o	ement	2 Cement grout	3 B	entonite (4)		Μ				
Grout Inter	rvals: From			ft., From				70	ft. to	3	ft.	
What is the		ource of possible		,		10 Livest			Abandoned w			
1 Septic tank 4 Lateral			al lines				11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess p				8 Sewage lagoon			zer storage	e 16 Other (specify below)				
3 Watertight sewer lines 6 Seepa				9 Feedvard	-		13 Insecticide storage					
Direction for	•		g- p			How man						
FROM	ТО		LITHOLOGIC	LOG	FROM			LUGGING	INTERVALS			
							0-87					
											,	
							StEEL	DIDE II	L WIL	87-	-87	
								1				
							Musing	refus	M. a	rout	حل الم	
			•					, , ,	,			
							Causing 82-87	الا شد	Sel			
									216	1		
									6	- (7.	
								18	TO THE	بر ندند	1.	
								- /5	75 PG I	514 8	\rightarrow	
								- 191	(3)	7 V	. 15	
									n i)	160	
									()	<u> </u>	1-1	
	L								1	-13	/ /	
7 CONTR	RACTOR'S (OR LANDOWNER	'S CERTIFICATI	ON: This water well	was (1) con	structed, (2) recor	nstructed, or	pluggedun	de my juris	dietion	and was	
completed	on (mo/day/	year)	L-13-45	ON: This water well		. and this recor	d is true to the b	est of my	omedge and	belief.	Kapsas	
Water Well	Contractor'	s License No	. J. S. J	This Water	Well Record	was completed o	n (mo/gay/yr) .		1	1 am	<i>.</i>	
	business nai	me of L	zyre, &	لا		by (signate	/ //	nK/	niture	ンリ		
				RMLY and PRINT clearly.						as Departi	ment	
of Health	h and Environm	ent, Bureau of Water,	Topeka, Kansas 66620	0-0001. Telephone: 913-29	96-5545. Send on	e to WATER WELL OW	NER and retain one	for your record	S.			