I I LOCA	HON OF VV	ATER WELL.	Fraction			CBOIL MULLIDE	I IOWISHIP N	mei	range in	indei
	McPher		E/2	NE ¼	NE ¼	29	T 19	S	R 4	E/W)
Distance	and direction	on from nearest town	n or city street	address of well if k	cated within cit	y?				
1/2 mil	le East &	1/2 mile North o	of Conway, I	KS						
		WNER: NCRA								
									=	1
1		ex# : P.O. Box					Board of Agrice		sion of Water R	esources
	e, ZIP Code		on, Kansas	67460			Application Nur			
3 LOCA	TE WELL'S	LOCATION 4	DEPTH OF C	OMPLETED WELL	65	ft. ELE\	/ATION:		. 0	
J WITH .	AN "X" IN S	ECHON BOX: H		dwater Encountered						
<sub>T</sub>				WATER LEVEL .						
↑										
	<b>N</b> W	NE X		p test data: Well w						
		'\L   Es	st. Yield N.	Agpm: Well w	vater was	ft. a	ifter	hours pun	nping	gpm
<u>e</u>		l Bo	ore Hole Diam	eter 8 in.	. to 6	5 ft.,	and	in.	to	ft.
W Mile		1 1-1		TO BE USED AS:			8 Air conditioning		njection well	
-		"	1 Domestic				9 Dewatering	_	Other (Specify I	halaus
11 1	SW	SE			o Orneu wa	ei suppiy	9 Dewatering	(4)	oner (Specify	below)
	011	1 1 1	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well		Saltwater Re	covery
↓				Vbacteriological sa	mple submitted		•	-		
		St st	ubmitted			Wa	ater Well Disinfecte	d? Yes	No 😼	
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Cond	rete tile	CASING JOI	VTS: Glued	Clamp	ed
الا		3 RMP (SR)		6 Asbestos-Ceme		(specify bek			ed	
	VC .	4 ABS	_							
Blank cas	ing diamete	r i	in. to $\dots$ 3	0 ft, Dia	in.	to	ft., Dia		in. to	ft.
Casing he	ight above	land surface	30	in., weight	Sch 40.	lbs./	ft. Wall thickness	or gauge N	0	
_	-	OR PERFORATION M		. •	<b>7</b> P\			estos-ceme		
l				F F:handan						
1 S		3 Stainless st		5 Fiberglass		MP (SR)				
2 B	rass	4 Galvanized	steel	6 Concrete tile	9 A	3S	12 None	e used (ope	en hole)	
SCREEN	OR PERFC	RATION OPENINGS	SARE:	5 Ga	uzed wrapped		8 Saw cut		11 None (ope	n hole)
1.0	ontinuous s	slot 3 Mill s	slot		ire wrapped		9 Drilled holes			
	ouvered sh	\ <i>\</i>	punched		rch cut		10 Other (specify)			
SCREEN-	PERFORA			. 30 ft. to						
				ft. to						
	GRAVEL PA			. 25 ft. to						
			From	ft. to		ft., Fr	om	ft.	to	ft
al cooks	TAKATEDIA		_	_	_					
	MATERIA		ment	2 Cement grout	Bent	onite 4	Other			
Grout Inte	rvals: Fro	m ft.	. to 3 . C.e.	nūft., From	<del>3</del> <del></del> ft.	to21 . Ne	atft, From	. 21	. ft. to 25.	Bent ft
What is th	e nearest s	ource of possible co	ontamination:			10 Lives	stock pens	14 Ab	andoned water	well
1 Sen	tic tank	4 Lateral I	lines	7 Pit privy		11 Fuel	storage	15 Oi	well/Gas well	į
							•			
									' 1	
	-	er lines 6 Seepag	je pit	9 Feedyard	1		cticide storage	···Br	ine Storage	
Direction	from well?	West				How mai	ny feet? 500			
FROM	10		LITHOLOGIC	LOG	FROM	10	PLU	GGING IN	TERVALS	
0	6	Clay, Dark Brov	wn							
6	30	Clay, Reddish B				<del> </del>				
30	38	Clay, Grayish B								
38	42	Clay, Reddish B	Brown, Rock	Fragments						
42	50	Shale, Red and (				1				
	52									
50		Shale, Red				ļ				
52	65	Shale, Red and (	Green							
-14-74						t			··········	
						<del> </del>				
						3	fW6, Tag #, Abov	reground		
							roject Name: NCRA-Conway			
						1!	GeoCore # 525, #			
7 CONTR	ACTOR'S	OR LANDOWNER'S	CERTIFICATION	ON: This water well	was (1) constr	ucted, (2) rec	onstructed, or (3) r	lugged und	der my jurisdicti	ion
		n (mo/day/year)					ecord is true to the			
and was C	ompleted of	Timorday/year)	Al-	, (	This 181-4-144					
		ontractor's License I			inis vvater We			aay/yr)	10.019.7.	
under the	business na	ame of	GeoCor	e Services, Inc.		by (signa	ture)	691	Colol	
INCTDI	ICTIONS: L'a	e typewriter or ball point p			T clearly Diosec 5	ll in blanks undo	dine or circle the correct	anewer C	and ton three sesion	to Kanesa
Departr	nent of Health	e typewriter or ball point p and Environment, Bureau	u of Water, Topeka	a, Kansas 66620-0001.	Telephone: 913-29	-5545. Send one	to WATER WELL OW!	answers. Se NER and retai	n one for your recor	rds.

WATER WELL RECORD Form WWC-5 KSA 82a-1212