<del></del>				ER WELL RECORD	Form W						
<u></u>		ATER WELL:	Fraction			Section Nur	nber	Township Num		Range Number	
	McPher		NW ½		W 1/4			T 19	S	R 4 B(W)	
	and direction $\mathbf{NW}$		own or city street	address of well if loca	ated withir	n city?					
2 WATE	R WELL O	WNER: Chevron	n/Texaco Pipelin	e Co.							
RR#, St. A	Address, Bo	x# : 2811 Ha						Board of Agricultu	re Divis	sion of Water Resources	
City, State	City, State, ZIP Code : Houston, TX 77082								Application Number:		
_ '''''		N								3 ft.	
l <b>∓</b> ⊳	( ;									r5/12/2005	
	, NA/	NF	Pum	p test data: Well wat	ter was .	NA	ft. after	h	ours pur	npinggpm	
]	- NVV	T - NE	Est. Yield N	${f A}_{}$ gpm: Well was	ter was .		ft. after	·h	ours pur	mping gpm	
M Kile	1		Bore Hole Diam	neter <b>8</b> in 1	to	.26	.ft., and	d	in	. to ft.	
= VV   -	<del>-</del>	E	WELL WATER	TO BE USED AS:	5 Public v	water supply		Air conditioning		Injection well	
	0)44		1 Domestic			water supply				Other (Specify below)	
	- SVV	- SE	2 Irrigation	4 Industrial	7 Lawn a	nd garden on	ly <b>(</b> 10)	Monitoring well			
	I	! !		al/bacteriological samp	ple submit	ted to Depart					
<u> </u>		S	submitted				Water	Well Disinfected		No 🗸	
5 TYPE (	OF BLANK	CASING USED:		5 Wrought iron	8 C	Concrete tile		CASING JOINT		3 Clamped	
1 St		3 RMP (SF	₹)	6 Asbestos-Cemen		Other (specify	,			ed	
(2)P\		4 ABS		7 Fiberglass						aded. 🗸	
	-									. in. to ft.	
Casing he	ight above	and surface	24	. in., weight			lbs./ft.	Wall thickness or	gauge N	lo Sch. 40	
TYPE OF	SCREENC	R PERFORATION	N MATERIAL			PVC		10 Asbes	tos-cem	ent	
1 St	eel	3 Stainless	steel	5 Fiberglass	8	RMP (SR)		11 Other	(specify	)	
2 Br	ass	4 Galvanize	ed steel	6 Concrete tile	9	ABS		12 None	used (op	en hole)	
SCREEN	OR PERFO	RATION OPENIN	GS ARE:	5 Gau	zed wrapp	ed	8	Saw cut		11 None (open hole)	
1 C	ontinuous s	lot (3)M	lill slot	6 Wire	wrapped		9	Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From											
										to ft.	
G	BRAVEL PA	CK INTERVALS:								to ft.	
			From	ft. to .			, From		ft.	to ft	
6 GROUT	MATERIA	L: 1 Neato	cement	2 Cement grout	(3)	Bentonite					
Grout Inter	rvals: Fro	m	. ft. to 1.	ft., From	. 1	. ft. to	9	$\dots ft, \; From \dots$		ft. to ft	
What is th	e nearest s	ource of possible	contamination:			10	Livesto	ck pens		bandoned water well	
1 Sept	tic tank	4 Later	al lines	7 Pit privy		11	Fuel sto	orage		il well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage (16) Other (specify below)											
	3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Brine ponds									rine ponds	
Direction f							many	feet? 0	00110	THE DY (ALL C	
FROM	ТО		LITHOLOGIC		FRC	M TO		PLUC	GING II	NTERVALS	
0	4	Clay, slightly		rk Brown							
4	14	Clay, silty, Li									
14	18	Clay with sha									
18	26			fragments, Green							
26	26	Shale with lin	nestone fragn	ients @ Refusal, F	Re						
								,			
							T-1	0S			
							Pro	ject Name: Wilson	- Chevr	on - Conway	
							Geo	Core # 1139, #			
7 CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICAT	ION: This water well w	was (1) co	onstructed, (2	) recon	structed, or (3) plu	igged ur	nder my jurisdiction	
				5/12/2005						knowledge and belief.	
				<b>52</b> 7	his Water					A5/2.7/2005	
	business n			eoCore, Inc.			ignatur		Kal		
INSTRI	JCTIONS: Lie	e typewriter or ball noi			clearly. Ple	ase fill in blanks	underline	e or circle the correct a		Send top three copies to Kansas	
	ment of Health	and Environment Bu	reau of Water Tonel	ka, Kansas 66620-0001. To	elephone: 91	3-296-5545. Sei	nd one to	WATER WELL OWNE	R and reta	ain one for your records.	