

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County McPherson		Fraction NW 1/4 SW 1/4 1/4		Section number 26		Township number T 19 S		Range number R 4 W	
2. Distance and direction from nearest town or city: Street address of well location if in city:				3. Owner of well: National Co-op Refinery Assoc. R.R. or street: McPherson, Kansas City, state, zip code:							
4. Locate with "X" in section below: N 1 Mile W E S 1 Mile				Sketch map: Well No. 2 (TH1-75)				6. Bore hole dia: 30" - 100" Completion date: 10/20/75 Well depth 193 ft. 42" - 193"			
5. Type and color of material				From		To		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary			
				0		2		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input checked="" type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
				2		84		9. Casing: Material Stl. Height: Above 48 in. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 48 in. RMP 26 PVC <input type="checkbox"/> Weight 100 lbs./ft. Dia. 18 in. to 198 ft. depth Wall Thickness: inches or Dia. 18 in. to 198 ft. depth gage No. 0.25			
				84		123		10. Screen: Manufacturer's name Layne Type 18-8, Type 304 Dia. 18" Slot/gauze .105" Length 55' Set between 114 ft. and 124 ft. 134-169 ft. and 183-193 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/8-3/8"			
				123		124		11. Static water level: 71.3 ft. below land surface Date 10/17/75 mo./day/yr.			
				124		171		12. Pumping level below land surfaces: 93 ft. after 6 hrs. pumping 1200 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 1500 g.p.m.			
				171		178		13. Water sample submitted: X Yes <input type="checkbox"/> No Date 10/20/75 mo./day/yr.			
				178		184		14. Well head completion: 48 inches above grade <input type="checkbox"/> Pitless adapter			
				184		193		15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 100 ft.			
				193		197		16. Nearest source of possible contamination: ft. 2 mi Direction W. Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
(Use a second sheet if needed)								17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Layne Model number 80106 HP 200 Volts 440 Length of drop pipe 120 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
								20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name License No. Address Wichita, Kansas Signed 10/22/75 Date Authorized representative			
18. Elevation:		19. Remarks:									
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley											